



Status Report

PC-12/47E

S/N 1702 N536HC

OWNER: HGK LEASING LLC
ADDRESS:
OFFICE:
FAX:

OPERATOR: AIRBORNE AIRCRAFT
MANAGEMENT, LLC
ADDRESS: 750 W. PERIMETER RD.
RENTON WA 98057
OFFICE: 206-295-3787
FAX: 206-257-3241

OPERATOR: JETSWISS AVIATION, LLC
ADDRESS: 14700 METCALF AVENUE
OVERLAND PARK KS 66223
OFFICE:
FAX:

ANALYST: JOSHUA MCNAMEE
EMAIL: JMCNAMEE@CAMPSYSTEMS.COM

877-411-CAMP (2267) (OFFICE)
631-588-3200 (OFFICE)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 1702/N536HC	MODEL: PC-12/47E	MANUFACTURER: PILATUS AIRCRAFT LTD
	CERTIFICATION DATE: 25-APR-2017	LAST ACTUALS:	
		2300.5 A/C HRS	as of 12-MAY-2023
		1990 AFL	as of 12-MAY-2023
		565 ACH	as of 12-MAY-2023

ENGINE NO. 1	SERIAL/PART: PCE-RY0754/3072955-01	MODEL: PT6A-67P	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 05-APR-2017	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	2300.5 ENG. HRS	as of 12-MAY-2023
	0 ENC	1990 ENC	as of 12-MAY-2023

PROPELLER NO. 1	SERIAL/PART: SA207/HC-E5A-3A/NC10245B	MODEL: HC-E5A-3A	MANUFACTURER: HARTZELL PROPELLER INC.
	INSTALLED ON: 21-AUG-2020	LAST ACTUALS:	
	1094 PROP HRS 1362.63 A/C HRS	2031.87 PROP HRS	as of 12-MAY-2023
	0 PRC		



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00/121 ^S	CHECK AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service	ATA:00
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
00-00/122 ^S	CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service	ATA:00
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
00-00/481 ^S	CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION							Service	ATA:00
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
E072-170410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 45.0							Service	ATA:00
	MOS/MSC	15-Jun-17	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E072								
E072-170621	NO. 1 ENGINE - REVIEW SB PT6A-72-14002 REV 25							Service	ATA:00
	MOS/MSC	21-Dec-16	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	ENC	0							
	PROC. REF: RCF E072								
E072-170707	NO. 1 ENGINE - REVIEW PWC SB PT6A-72-14603 R27							Service	ATA:00
	MOS/MSC	28-Jul-17	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-170728	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 45.1							Service ATA:00
	MOS/MSC	07-Aug-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-170818	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 45.2							Service ATA:00
	MOS/MSC	31-Aug-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072-170818
E072-171030	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 46.0							Service ATA:00
	MOS/MSC	21-Nov-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-180409	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.0							Service ATA:00
	MOS/MSC	18-May-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-180409-1	NO. 1 ENGINE - REVIEW CODE CHANGE NOT PART FOR REV 47							Service ATA:00
	MOS/MSC	28-May-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-180528	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.1							Service ATA:00
	MOS/MSC	10-Jul-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-180821	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.2							Service ATA:00
	MOS/MSC	24-Sep-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-181029	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 48.0							Service ATA:00
	MOS/MSC	21-Nov-18	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-190408	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 49.0							Service ATA:00
	MOS/MSC	02-May-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-190802	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 28							Service ATA:00
	MOS/MSC	22-Aug-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-191028	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 50.0							Service ATA:00
	MOS/MSC	25-Nov-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-191205	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 50.1							Service ATA:00
	MOS/MSC	06-Jan-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-200413	NO. 1 ENGINE - REVIEW PT6A-67B/-67P MM REV 51.0							Service ATA:00
	MOS/MSC	05-May-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF 00			
E072-200429	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.1							Service ATA:00
	MOS/MSC	12-May-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF 00			
E072-200504	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.2							Service ATA:00
	MOS/MSC	25-May-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E072			
E072-200505	NO. 1 ENGINE - REVIEW PWC SB P6A-72-14001 REV 20							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E072			
E072-200521	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 29							Service ATA:00
	MOS/MSC	29-May-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E072			
E072-200910	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.3							Service ATA:00
	MOS/MSC	29-Sep-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E072			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-201012	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 52.0							Service ATA:00
	MOS/MSC	09-Mar-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-201202	NO. 1 ENGINE - REVIEW PWC SB PT6A-72-14002 REV 26							Service ATA:00
	MOS/MSC	09-Mar-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-210412	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 53.0							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service ATA:00
	MOS/MSC	EBT	-				NEW REQMT	REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
								PROC. REF: RCF E072
P47E-170719	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 17							Service ATA:00
	MOS/MSC	28-Aug-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
								PROC. REF: RCF P47E
P47E-170906	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL TEMPORARY REVISION NO. 05-04							Service ATA:00
	MOS/MSC	21-Nov-17	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
								PROC. REF: RCF P47E

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P47E-180213	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 18							Service	ATA:00
	MOS/MSC	14-Mar-18	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-180524	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 19							Service	ATA:00
	MOS/MSC	10-Jul-18	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-180917	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL TEMPORARY REVISION NO. 05-05							Service	ATA:00
	MOS/MSC	28-Sep-18	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-181129	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 20							Service	ATA:00
	MOS/MSC	18-Dec-18	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-190503	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 21							Service	ATA:00
	MOS/MSC	04-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-191121	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 22							Service	ATA:00
	MOS/MSC	30-Mar-20	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P47E-200515	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 23							Service	ATA:00
	MOS/MSC	05-Aug-20	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-201125	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 24							Service	ATA:00
	MOS/MSC	09-Mar-21	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-210716	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 25							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-220520	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 28							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-220829	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 29							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				
P47E-230116	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 30							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF P47E				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PE5A-170701	NO. 1 PROPELLER - REVIEW PROPELLER OWNER'S MANUAL NO. 147 REVISION 13							Service ATA:00
	MOS/MSC	24-Aug-17	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-180301	NO. 1 PROPELLER - REVIEW PROPELLER OWNER'S MANUAL NO. 147 REVISION 14							Service ATA:00
	MOS/MSC	20-Apr-18	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-191101	NO. 1 PROPELLER - REVIEW HC-E5A-3A POM NO. 147 REV 15							Service ATA:00
	MOS/MSC	25-Nov-19	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-200501	NO. 1 PROPELLER - REVIEW HC-E5A-3A POM 147 REV 16							Service ATA:00
	MOS/MSC	05-Aug-20	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-200801	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 33							Service ATA:00
	MOS/MSC	18-Sep-20	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-200901	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 34							Service ATA:00
	MOS/MSC	23-Sep-20	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-200901-1	NO. 1 PROPELLER - REVIEW HC-E5A-3A POM 147 REV 17							Service ATA:00
	MOS/MSC	24-Sep-20	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PE5A-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service ATA:00
	MOS/MSC	09-Mar-21	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-210304	NO. 1 PROPELLER - REVIEW SL HC-SL-61-61Y REV 13							Service ATA:00
	MOS/MSC	19-Mar-21	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-210401	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 TR-011							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-210601	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 36							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
PE5A-210707	NO. 1 PROPELLER - REVIEW HC-SL-61-61Y REV 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
					PROC. REF: RCF PE5A			
ATA 04 - LIMITATIONS								
040001	AIRCRAFT LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	25-Apr-17			TSN 0			LIFE LIMIT
SN:UNKNOWN	HRS	0	50000		TSN 0	50000	47699.5	
	AFL	0	60000		TSN 0	60000	58010	
					PROC. REF: GENERIC NO REF			
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)							Service ATA:05
	MOS	25-Apr-17						
	HRS	0	25000			25000	22699.5	
	AFL	0	30000			30000	28010	
					PROC. REF: AMM 05-10-30			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service	ATA:05
	MOS	25-Apr-17							
	HRS	0	25000		25000		22699.5		
	AFL	0	30000		30000		28010		
	PROC. REF: GENERIC NO REF								
05200A	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	18-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: AMM 12-B-05-20-00-00A-913A-A							PKG:15	
05401A	300 HOUR INSPECTION							Package	ATA:05
	MOS	18-Apr-23							
	HRS	2263.4	300 (+30/-30)	Adj -24.5	2538.9	2568.9	238.4 (+30)		
	AFL	1964							
	PROC. REF: AMM 12-B-05-40-01-01A-000B-A							PKG:16	
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	18-Apr-23	12 (+1m/-1m)		18-Apr-24	18-May-24	338 d (+30)		
	HRS	2263.4	300 (+30/-30)	Adj -24.5	2538.9	2568.9	238.4 (+30)		
	AFL	1964							
	PROC. REF: AMM 12-B-05-40-01-02A-000B-A							PKG:17	
05403A	600 HOUR INSPECTION							Package	ATA:05
	MOS	30-Jun-22							
	HRS	1938.9	600 (+60/-60)		2538.9	2598.9	238.4 (+60)		
	AFL	1685							
	PROC. REF: AMM 12-B-05-40-01-03A-000B-A							PKG:18	
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	18-Apr-23	12 (+1m/-1m)		18-Apr-24	18-May-24	338 d (+30)		
	HRS	2263.4	600 (+60/-60)		2863.4	2923.4	562.9 (+60)		
	AFL	1964							
	PROC. REF: AMM 12-B-05-40-01-04A-000B-A							PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05405A	1200 HOUR OR 12 MONTH INSPECTION							Package	ATA:05
	MOS	18-Apr-23	12 (+1m/-1m)	Adj 1d	19-Apr-24	19-May-24	339 d (+30)		
	HRS	2263.4	1200 (+120/-120)		3463.4	3583.4	1162.9 (+120)		
	AFL	1964							
PROC. REF: AMM 12-B-05-40-01-05A-000B-A								PKG:20	
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	18-Apr-23	24 (+1m/-1m)	Adj 1d	19-Apr-25	19-May-25	704 d (+30)		
	HRS	2263.4	2400 (+60/-60)		4663.4	4723.4	2362.9 (+60)		
	AFL	1964							
PROC. REF: AMM 12-B-05-40-01-06A-000B-A								PKG:21	
057010	NO. 1 ENGINE - MINOR INSPECTION							Package	ATA:05
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)		(2563.4) 2563.4	2593.4	262.9 (+30)		
	ENC	1964							
PROC. REF: EMM 72-00-00, EMM 72-00-00									
ATA 06 - DIMENSIONS AND AREAS									
06-00/119 ^S	INSTALL ACCESS PANELS 42AB, 42AT AND 32CT AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:06
	MOS/MSC	18-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 06-20-00								PKG:15 ,16,17,18,19,20,21	
06-00/123 ^S	REMOVE ACCESS PANELS 42AB, 42AT AND 32CT							Service	ATA:06
	MOS/MSC	18-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 06-20-00								PKG:15 ,16,17,18,19,20,21	
06-00/218 ^S	OPEN /REMOVE AS NECESSARY TO DO INSPECTION, PANELS 11AL, 11AR, 11BL, 11BR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 31BL, 32AB, 32AL, 32BL, 32BT, 32CL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB. MAKE SURE THE ACCESS PANEL DRAIN HOLES ARE CLEAR.							Service	ATA:06
	MOS/MSC	18-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 06-20-00								PKG:15 ,16,17,18,19,20,21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/219 ^S	CLOSE /INSTALL AS NECESSARY TO CLOSE UP THE INSPECTIOIN THE FOLLOWING PANELS: 11AL,11AR, 11BL, 11BR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR,12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 31BL, 32AB, 32AL, 32BL, 32BT, 32CL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB						Service	ATA:06
	MOS/MSC	18-Apr-23	A/R					
	HRS	2263.4						
	AFL	1964						
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21
06-00/578 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB,62SB, 62TB - REMOVE AND EXAMINE						Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	1200 (+10%/-10%)					
	AFL	1964						
	PROC. REF: AMM 06-20-00							PKG:20
06-00/579 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB,62SB, 62TB - INSTALL						Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	1200 (+10%/-10%)					
	AFL	1964						
	PROC. REF: AMM 06-20-00							PKG:20
06-00/582 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE						Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	600 (+10%/-10%)					
	AFL	1964						
	PROC. REF: AMM 06-20-00							PKG:19
06-00/583 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL						Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	600 (+10%/-10%)					
	AFL	1964						
	PROC. REF: AMM 06-20-00							PKG:19
06-00/590 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - REMOVE AND EXAMINE						Service	ATA:06
	MOS	18-Apr-23						
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
	PROC. REF: AMM 06-20-00							PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/591 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - INSTALL							Service	ATA:06
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/592 ^S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/593 ^S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service	ATA:06
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:16	
06-00/594 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/595 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/596 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/597 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/598 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/599 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:17	
06-00/602 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	13-Jun-22							
	HRS	1938.9	600 (+10%/-10%)						
	AFL	1685							
				PROC. REF: AMM 06-20-00				PKG:18	
06-00/603 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	30-Jun-22							
	HRS	1938.9	600 (+10%/-10%)						
	AFL	1685							
				PROC. REF: AMM 06-20-00				PKG:18	
06-00/604 ^S	ACCESS PANEL, FUSELAGE: 11AL,12EL,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:19	
06-00/605 ^S	ACCESS PANEL, FUSELAGE: 11AL, 12EL,21QZ - INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:19	
06-00/606 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/607 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 06-20-00			PKG:19	
06-00/608 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21OZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	18-Apr-23	12 (+10m/-10%)						
	HRS	2263.4	1200 (+10/-10%)						
	AFL	1964							
					PROC. REF: AMM 06-20-00			PKG:20	
06-00/609 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21OZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 06-20-00			PKG:20	
06-00/610 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 06-20-00			PKG:20	
06-00/611 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 06-20-00			PKG:20	
06-00/612 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 06-20-00			PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/613 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 06-20-00							PKG:20	
06-00/614 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 06-20-00							PKG:21	
06-00/615 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - CLOSE AND INSTALL							Service	ATA:06
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 06-20-00							PKG:21	
06-00/616 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 06-20-00							PKG:21	
06-00/617 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service	ATA:06
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 06-20-00							PKG:21	
06-00/618 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 06-20-00							PKG:21	
06-00/619 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 06-20-00							PKG:21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/620 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:21	
06-00/621 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service	ATA:06
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 06-20-00				PKG:21	
ATA 07 - LIFTING AND SHORING									
07-10/160 ^S	LOWER AIRCRAFT TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION							Service	ATA:07
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
				PROC. REF: AMM 07-10-00				PKG:15 ,16,17,18,19,20,21	
07-10/161 ^S	LIFT AIRCRAFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND AS NECESSARY TO DO THE INSPECTION							Service	ATA:07
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
				PROC. REF: AMM 07-10-00				PKG:15 ,16,17,18,19,20,21	
ATA 08 - LEVELING AND WEIGHING									
080000	WEIGHT CHECK AIRCRAFT							Service	ATA:08
	MOS/MSC	25-Apr-17	A/R						
	HRS	0							
WC#: 08.005	AFL	0							
				PROC. REF: GENERIC NO REF					
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/428 ^S	EXAMINE EXTERNAL PROTECTIVE COVERS - REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.							Service	ATA:10
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: GENERIC NO REF				PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 11 - PLACARDS AND MARKINGS									
11-00/220 ^S	EXAMINE PLACARDS AND MARKINGS AND ATTACH NEW PLACARDS IF NECESSARY							Service	ATA:11
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 11-20-00, AMM 11-20-00, AMM 11-30-00, AMM 11-00-00, AMM 11-00-00			PKG:20	
ATA 12 - SERVICING									
12-20/124 ^S	WASH AIRCRAFT THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS, AS REQUIRED TO PERFORM THE INSPECTION							Service	ATA:12
	MOS/MSC	18-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
					PROC. REF: AMM 12-20-01			PKG:15 ,16,17,18,19,20,21	
12-20/125 ^S	CLEAN WINDSHIELDS AND WINDOWS							Service	ATA:12
	MOS/MSC	18-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
					PROC. REF: AMM 12-20-02			PKG:15 ,16,17,18,19,20,21	
12-20/126 ^S	CLEAN COCKPIT AND CABIN							Service	ATA:12
	MOS/MSC	18-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
					PROC. REF: AMM 12-20-03			PKG:15 ,16,17,18,19,20,21	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
00-00/45A	PERFORM CORROSION INSPECTION (INTERNAL)							Service	ATA:20
	MOS	18-Apr-23	12 (-10%)	Adj 12d	30-Apr-24		350 d		
	HRS	2263.4							
WC#: 20.010	AFL	1964							
					PROC. REF: AMM 20-40-00				
00-00/45B	PERFORM CORROSION INSPECTION (EXTERNAL)							Service	ATA:20
	MOS	18-Apr-23	12 (+1m/-1m)	Adj 12d	30-Apr-24	31-May-24	350 d (+31)		
	HRS	2263.4							
WC#: 20.011	AFL	1964							
					PROC. REF: AMM 20-40-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-20/221 ^S	EXAMINE ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT							Service	ATA:21
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:21	
21-20/317	CHECK ECS EMERGENCY SHUT-OFF SYSTEM							Service	ATA:21
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)	AIRWORTHINESS	
	HRS	2263.4	3000		5263.4		2962.9		
	AFL	1964							
PROC. REF: GENERIC NO REF									
21-30/314	CHECK PRESSURIZATION SAFETY VALVE FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT, REMOVE AND CLEAN IF CONTAMINATION IS FOUND							Service	ATA:21
PN:PN	MOS	18-Apr-23	24 (+10%/-10%)	Adj 12d	30-Apr-25	12-Jul-25	715 d (+73)		
SN:UNKNOWN	HRS	2263.4	2400 (+10%/-10%)		4663.4	4903.4	2362.9 (+240)		
WC#: 21.030	AFL	1964							
PROC. REF: AMM 21-30-02									
21-30/318	OPERATIONAL TEST PRESSURIZATION DUMP SWITCH							Service	ATA:21
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)	AIRWORTHINESS	
	HRS	2263.4	3000		5263.4		2962.9		
WC#: 21.045	AFL	1964							
PROC. REF: AMM 21-30-00									
21-30/46	FUNCTIONAL TEST CABIN POSITIVE PRESSURE RELIEF							Service	ATA:21
PN:PN	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)		
SN:UNKNOWN	HRS	1528.1	4800 (+10%/-10%)		6328.1	6808.1	4027.6 (+480)		
WC#: 21.040	AFL	1304							
PROC. REF: AMM 21-30-00									
21-30/463	OPERATIONAL TEST CABIN PRESSURIZATION DUMP CONTROL							Service	ATA:21
	MOS/MSC	25-Apr-17	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/464	OPERATIONAL TEST CABIN PRESSURIZATION MANUAL CONTROL							Service ATA:21
	MOS/MSC	25-Apr-17	N/A					
	HRS	0						
	AFL	0						
	PROC. REF: AMM 21-30-00							
21-30/465	FUNCTIONAL TEST CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS/MSC	25-Apr-17	N/A					
	HRS	0						
	AFL	0						
	PROC. REF: AMM 21-30-00							
21-30/467	EXAMINE CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE							Service ATA:21
	MOS/MSC	25-Apr-17	N/A					
	HRS	0						
	AFL	0						
	PROC. REF: AMM 21-30-05							
21-30/469	FUNCTIONAL TEST CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING							Service ATA:21
	MOS/MSC	25-Apr-17	N/A					
	HRS	0						
	AFL	0						
	PROC. REF: AMM 21-30-00							
21-40/128	OPERATIONAL TEST FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH							Service ATA:21
	MOS/MSC	07-May-18	N/A					
	HRS	390.28						
	AFL	329						
	PROC. REF: AMM 21-43-00							
21-40/330 ^S	OPERATIONAL TEST CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH							Service ATA:21
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	1200 (+10%/-10%)					
WC#: 21.140	AFL	1964						
	PROC. REF: AMM 21-40-01, AMM 21-40-01							
	PKG:20							
21-40/331 ^S	FUNCTIONAL TEST UNDERFLOOR HEATER THERMAL PROTECTION SWITCH							Service ATA:21
PN:9696781507	MOS	18-Apr-23	12 (+10%/-10%)					
SN:584766	HRS	2263.4	1200 (+10%/-10%)					
WC#: 21.150	AFL	1964						
	PROC. REF: AMM 21-40-01, AMM 21-40-01							
	PKG:20							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-40/50 ^S		CLEAN WATER SEPARATOR CONDENSER						Service	ATA:21
PN:PN	MOS	18-Apr-23	12 (+10%/-10%)						
SN:UNKNOWN	HRS	2263.4	1200 (+10%/-10%)						
WC#: 21.080	AFL	1964							
PROC. REF: AMM 21-40-03								PKG:20	
21-40/51		FUNCTIONAL TEST OVERTEMP. BLEEDAIR 1173T083-01 SWITCH OVERTEMPERATURE SWITCH						Service	ATA:21
PN:9738132216	MOS	29-Jun-22	60 (+10%/-10%)		Adj -60d	30-Apr-27	31-Oct-27	1445 d (+184)	
SN:1089	HRS	1938.9	4800 (+10%/-10%)			6738.9	7218.9	4438.4 (+480)	
WC#: 21.130	AFL	1685							
PROC. REF: AMM 21-40-06									
21-40/52		FUNCTIONAL TEST OVERTEMP. CONDAIR 1173T08 SWITCH DUCT OVERTEMPERATURE SWITCH						Service	ATA:21
PN:9738132214	MOS	01-Jul-22	60 (+10%/-10%)		Adj -67d	25-Apr-27	25-Oct-27	1440 d (+183)	
SN:1003	HRS	1938.9	4800 (+10%/-10%)			6738.9	7218.9	4438.4 (+480)	
WC#: 21.120	AFL	1685							
PROC. REF: AMM 21-60-05									
21-40/55 ^S		RE-OIL AIR CONDITIONING COLD AIR UNIT						Service	ATA:21
	MOS	24-Jun-22							
	HRS	1938.9	600 (+10%/-10%)						
WC#: 21.060	AFL	1685							
PROC. REF: AMM 21-40-02								PKG:18	
21-40/56 ^S		INSPECT/CHECK HEAT EXCHANGER MATRIX						Service	ATA:21
	MOS	24-Jun-22							
	HRS	1938.9	600 (+10%/-10%)						
WC#: 21.070	AFL	1685							
PROC. REF: AMM 21-40-02								PKG:18	
21-50/223 ^S		EXAMINE VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) THE COOLING UNIT						Service	ATA:21
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:20	
21-50/433		CLEAN AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE (INCLUDING MOTOR) (IF INSTALLED)						Service	ATA:21
PN:9599022106	MOS	18-Apr-23							
SN:1674	HRS	2263.4							
	AFL	1964							
	ACH	557.5	500 (+10%/-10%)		Adj -57.5	1000	1050	435 (+50)	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-50/461	INSPECT/CHECK AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE (CCM P/N 959.90.22.140) (IF INSTALLED)							Service	ATA:21
PN:9599022106	MOS/MSC	25-Apr-17	N/A						
SN:1674	HRS	0							
	AFL	0							
	ACH	0							
PROC. REF: AMM 21-50-03									
21-50/462	CHECK AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE BELT TENSION (CCM P/N 959.90.22.140) (IF INSTALLED)							Service	ATA:21
PN:9599022106	MOS/MSC	25-Apr-17	N/A						
SN:1674	HRS	0							
	AFL	0							
	ACH	0							
PROC. REF: AMM 21-50-01									
21-50/58	INSPECTION/CHECK AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE (CMM P/N 959.90.22.102, 959.90.22.106) (IF INSTALLED)							Service	ATA:21
PN:9599022106	MOS	18-Apr-23							
SN:1674	HRS	2263.4							
WC#: 21.110	AFL	1964							
	ACH	557.5	500 (+10%/-10%)	Adj -57.5	1000	1050	435 (+50)		
PROC. REF: AMM 21-50-03									
21-50/59	CHECK AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE TENSION OF VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (CMM P/N 959.90.22.102, 959.90.22.106) IF INSTALLED							Service	ATA:21
	MOS	18-Apr-23							
	HRS	2263.4							
WC#: 21.100	AFL	1964							
	ACH	557.5	500 (+10%/-10%)	Adj -57.5	1000	1050	435 (+50)		
PROC. REF: AMM 21-50-01									
210005	OVERPRESSURE SWITCH							Component	ATA:21
PN:9738115105	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1524	HRS	0		TSN 0					
WC#: 21.340	AFL	0		TSN 0					
PROC. REF: AMM 21-40-07									
210010	REFRIGERATION PACK							Component	ATA:21
PN:5613C000-002	MOS/MSC	08-Jul-19	O/C						
SN:1950	HRS	909.8							
WC#: 21.255	AFL	757							
PROC. REF: AMM 21-40-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210015	WATER INJECTOR							Component	ATA:21
PN:9599020141	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:2141	HRS	0			TSN 0				
WC#: 21.370	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210020	DUCT TEMP SENSOR							Component	ATA:21
PN:9599020121	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:4713	HRS	0			TSN 0				
WC#: 21.320	AFL	0			TSN 0				
PROC. REF: AMM 21-60-04									
210025	PRIM SHUT OFF VALVE							Component	ATA:21
PN:9599020132	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:2150	HRS	0			TSN 0				
WC#: 21.290	AFL	0			TSN 0				
PROC. REF: AMM 21-40-05									
210030	HP SHUT OFF VALVE							Component	ATA:21
PN:9599020131	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:2151	HRS	0			TSN 0				
WC#: 21.280	AFL	0			TSN 0				
PROC. REF: AMM 21-40-04									
210035	WATER SEPARATOR ASSY							Component	ATA:21
PN:PN	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 21.220	AFL	0			TSN 0				
PROC. REF: AMM 21-40-03									
210040	TEMPCONTROL VALVE							Component	ATA:21
PN:9599020136	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:2147	HRS	0			TSN 0				
WC#: 21.310	AFL	0			TSN 0				
PROC. REF: AMM 21-60-02									
210045	AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE							Component	ATA:21
PN:9599022106	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1674	HRS	0			TSN 0				
WC#: 21.380	AFL	0			TSN 0				
PROC. REF: AMM 21-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210046	VAPOR CYCLE COMPRESSOR MOTOR							Component	ATA:21
PN:PN	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-50-01									
210050	CENTER EVAPORATOR MODULE ASSY							Component	ATA:21
PN:9599022121	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1040	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210055	RIGHT SIDE EVAPORATOR MODULE ASSY							Component	ATA:21
PN:9599022119	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1185	HRS	0			TSN 0				
WC#: 21.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210060	CABIN PRESSURE OUTFLOW VALVE							Component	ATA:21
PN:9599091122	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:103898-00723	HRS	0			TSN 0				
WC#: 21.250	AFL	0			TSN 0				
PROC. REF: AMM 21-30-03									
210065	CABIN PRESSURE RELIEVE VALVE							Component	ATA:21
PN:9599091132	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:106-F0719	HRS	0			TSN 0				
WC#: 21.270	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
210115	UNDERFLOOR (FRONT) ELECTRIC HEATER							Component	ATA:21
PN:9696781507	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:584766	HRS	0			TSN 0				
WC#: 21.240	AFL	0			TSN 0				
PROC. REF: AMM 21-40-01									
210135	LEFT SIDE EVAPORATOR MODULE ASSY							Component	ATA:21
PN:9599022118	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1142	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210145	CABIN (REAR) ELECTRIC HEATER							Component	ATA:21
PN:9696781507	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:584775	HRS	0			TSN 0				
WC#: 21.230	AFL	0			TSN 0				
PROC. REF: AMM 21-40-15									
210170	OVERPRESSURE SWITCH							Component	ATA:21
PN:9738115106	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1538	HRS	0			TSN 0				
WC#: 21.340	AFL	0			TSN 0				
PROC. REF: AMM 21-40-07									
210175	FLOW CONTROL VALVE ACTUATOR							Component	ATA:21
PN:9599020160	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1730	HRS	0			TSN 0				
WC#: 21.520	AFL	0			TSN 0				
PROC. REF: AMM 21-60-03									
210180	CABIN PRESSURE CONTROL UNIT							Component	ATA:21
PN:9599091144	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:2119232-00743	HRS	0			TSN 0				
WC#: 21.530	AFL	0			TSN 0				
PROC. REF: AMM 21-30-01									
210185	INTEG. ECS CONTROL UNIT							Component	ATA:21
PN:9599020129	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:0750	HRS	0			TSN 0				
WC#: 21.540	AFL	0			TSN 0				
PROC. REF: AMM 21-60-01									
210190	FLOOR DUCT TEMP. SENSOR							Component	ATA:21
PN:9599020121	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:4741	HRS	0			TSN 0				
WC#: 21.550	AFL	0			TSN 0				
PROC. REF: AMM 21-60-04									
210195	MIDDLE CONSOLE DUCT TEMP. SENSOR							Component	ATA:21
PN:9599020121	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:4733	HRS	0			TSN 0				
WC#: 21.560	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210200		FIREWALL 1415-3 SHUT OFF VALVE						Component	ATA:21
PN:9633011005	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0910	HRS	0		TSN 0					
WC#: 21.570	AFL	0		TSN 0					
PROC. REF: AMM 21-20-01									
210205		OVERTEMP. BLEEDAIR 1173T083-01 SWITCH						Component	ATA:21
PN:9738132216	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1089	HRS	0		TSN 0					
WC#: 21.580	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210210		OVERTEMP. CONDAIR 1173T08 SWITCH						Component	ATA:21
PN:9738132214	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1003	HRS	0		TSN 0					
WC#: 21.590	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210215		DUAL FLAPPER 1.5 IN. VALVE CHECK						Component	ATA:21
PN:9633011105	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1567B	HRS	0		TSN 0					
WC#: 21.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210220		LH DUAL FLAPPER 2.5 IN. VALVE CHECK						Component	ATA:21
PN:9633011106	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2767B	HRS	0		TSN 0					
WC#: 21.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210225		RH DUAL FLAPPER 2.5 IN. VALVE CHECK						Component	ATA:21
PN:9633011106	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2771B	HRS	0		TSN 0					
WC#: 21.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210230		DUAL FLAPPER 2.5 IN. SPANT 15 VALVE CHECK						Component	ATA:21
PN:9633011106	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2780B	HRS	0		TSN 0					
WC#: 21.510	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210235	HEAD LINER DUCT TEMP. SENSOR							Component	ATA:21
PN:9599020121	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:4787	HRS	0		TSN 0					
WC#: 21.600	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 22 - AUTO FLIGHT									
22-10/233 ^S	EXAMINE PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES							Service	ATA:22
	MOS	18-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:21									
22-10/60 ^S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	18-Apr-23	12 (+1m/-1m)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 22-10-00									
PKG:20									
22-10/60 ^S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	18-Apr-23	12 (+1m/-1m)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 22-10-00									
PKG:20									
22-10/60 ^S	SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	18-Apr-23	12 (+1m/-1m)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 22-10-00									
PKG:20									
22-20/129 ^S	EXAMINE ANGLE OF ATTACK (AOA) TRANSMITTERS							Service	ATA:22
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 22-20-02									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-20/130 ^S		CHECK STICK PUSHER SYSTEM							Service ATA:22
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 22-20-00			PKG:16	
22-20/226 ^S		FUNCTIONAL TEST STICK PUSHER SYSTEM							Service ATA:22
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 22-20-00			PKG:20	
220045		STICK PUSHER SERVO							Component ATA:22
PN:9786111103	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:81036	HRS	0			TSN 0				
WC#: 22.220	AFL	0			TSN 0				
					PROC. REF: AMM 22-20-04				
220055		STICK PUSHER CAPSTAN							Component ATA:22
PN:9786111124	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:80990	HRS	0			TSN 0				
WC#: 22.140	AFL	0			TSN 0				
					PROC. REF: AMM 22-20-06				
220060		STICK SHAKER							Component ATA:22
PN:9786111143	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1540	HRS	0			TSN 0				
WC#: 22.230	AFL	0			TSN 0				
					PROC. REF: AMM 22-20-03				
220070		STICK PUSHER							Component ATA:22
PN:9754423104	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:136933	HRS	0			TSN 0				
WC#: 22.170	AFL	0			TSN 0				
					PROC. REF: AMM 22-20-04				
220085		ELEVATOR KSM 375 A/P SERVO MOUNT							Component ATA:22
PN:9859912133	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KSM375-B3308	HRS	0			TSN 0				
WC#: 22.280	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220090 RUDDER KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:9859912133	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:KSM375-B3299	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
220095 AILERON KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:9859912133	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:KSM375-B3276	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
220100 RUDDER KSA 2700 SERVO								Component ATA:22
PN:9859912275	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:KSA2700-3382	HRS	0		TSN 0				
WC#: 22.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
220105 ELEVATOR KSA 2700 SERVO								Component ATA:22
PN:9859912275	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:KSA2700-3385	HRS	0		TSN 0				
WC#: 22.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
220110 AILERON KSA 2700 SERVO								Component ATA:22
PN:9859912275	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:KSA2700-3381	HRS	0		TSN 0				
WC#: 22.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
220115 KMC 9200 VNAV FLIGHT CONTROLLER								Component ATA:22
PN:985.99.12.204	MOS/MSC	02-Nov-21	O/C					
SN:KMC9200-1334	HRS	1667.1						
	AFL	1432						
PROC. REF: GENERIC NO REF								
ATA 23 - COMMUNICATIONS								
23-10/322^S OPERATIONAL TEST AUDIO CONTROL PANEL EMERGENCY SWITCH								Service ATA:23
	MOS	21-Apr-23	24 (+10%/-10%)					
	HRS	2263.4	2400 (+10%/-10%)					
	AFL	1964						
PROC. REF: AMM 23-50-00								

PKG:21

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-10/323 ^S		OPERATIONAL TEST EMERGENCY FREQUENCY COMM TUNING SWITCH						Service	ATA:23
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
						PROC. REF: AMM 23-12-00		PKG:21	
230005		VHF/NAV SYSTEM I VHF COMM ANTENNA						Component	ATA:23
PN:9848110203	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:310-29966	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
						PROC. REF: AMM 23-12-02			
230010		VHF/NAV SYSTEM II VHF COMM ANTENNA						Component	ATA:23
PN:9848110203	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:310-29968	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
						PROC. REF: AMM 23-12-03			
230040		IRIDIUM/GPS,S67-1575-109 ANTENNA						Component	ATA:23
PN:9848110210	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:430-14943	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
						PROC. REF: AMM 34-57-02			
230045		NO. 1 KTR 2280 MULTI-MODE DIGITAL RADIO						Component	ATA:23
PN:069-01037-0102	MOS/MSC	12-Jun-18	O/C	TSR 4					
SN:1640	HRS	471.68		TSR 0					
WC#: 23.090	AFL	393		TSR 0					
						PROC. REF: AMM 23-12-01			
230050		NO. 2 KTR 2280 MULTI-MODE DIGITAL RADIO						Component	ATA:23
PN:9859912254	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:4655	HRS	0		TSN 0					
WC#: 23.080	AFL	0		TSN 0					
						PROC. REF: AMM 23-12-01			
230055		PILOT KMA 29 AUDIO/MARKER PANEL						Component	ATA:23
PN:9859912108	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:N01947	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
						PROC. REF: AMM 23-50-01			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230060		CO-PILOT KMA 29 AUDIO/MARKER PANEL						Component	ATA:23
PN:9859912108	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:N01955	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-50-01									
ATA 24 - ELECTRICAL POWER									
24-30/311		FUNCTIONAL TEST NO. 1 (GCU 1) GENERATOR CONTROL UNIT OVER AND UNDER-VOLTAGE TRIP PROTECTION						Service	ATA:24
PN:PN	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2263.4	3000		5263.4		2962.9		
WC#: 24.015	AFL	1964							
PROC. REF: AMM 71-00-00									
24-30/311		FUNCTIONAL TEST NO. 2 (GCU 2) GENERATOR CONTROL UNIT OVER AND UNDER-VOLTAGE TRIP PROTECTION						Service	ATA:24
PN:PN	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2263.4	3000		5263.4		2962.9		
WC#: 24.025	AFL	1964							
PROC. REF: AMM 71-00-00									
24-30/312 ^S		EMERGENCY POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST						Service	ATA:24
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 24-40-00									
24-30/313 ^S		DC ELECTRICAL SYSTEM - FUNCTIONAL TEST						Service	ATA:24
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 71-00-00									
24-30/339		REMOVE AND SERVICE NO. 1 NICAD BATTERY						Service	ATA:24
PN:PN	MOS/MSC	11-Oct-21	N/A						
SN:NOT INSTALLED	HRS	1626.1							
WC#: 24.060	AFL	1390							
PROC. REF: AMM 24-30-07, AMM 24-30-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/339 REMOVE AND SERVICE NO. 2 NICAD BATTERY Service ATA:24								
PN:PN	MOS/MSC	11-Oct-21	N/A					
SN:NOT INSTALLED	HRS	1626.1						
WC#: 24.061	AFL	1390						
PROC. REF: AMM 24-30-07, AMM 24-30-07								
24-30/340 REMOVE/CAPACITY CHECK NO. 1 LEAD ACID BATTERY Service ATA:24								
PN:RG-380E/44K	MOS	18-Apr-23	6 (+10%/-10%)		18-Oct-23	05-Nov-23	155 d (+18)	
SN:41182267	HRS	2263.4	600 (+10%/-10%)		2863.4	2923.4	562.9 (+60)	
WC#: 24.010	AFL	1964						
PROC. REF: AMM 24-30-07								
24-30/340 REMOVE/CAPACITY CHECK NO. 2 LEAD ACID BATTERY Service ATA:24								
PN:RG-380E/44	MOS	18-Apr-23	6 (+10%/-10%)		18-Oct-23	05-Nov-23	155 d (+18)	
SN:41181482	HRS	2263.4	600 (+10%/-10%)		2863.4	2923.4	562.9 (+60)	
WC#: 24.010	AFL	1964						
PROC. REF: AMM 24-30-07								
24-30/473^S BRUSH CHECK NO. 1 STARTER GENERATOR (P/N 978.91.23.407) Service ATA:24								
PN:23085-031 MOD A	MOS	18-Apr-23						
SN:P2598	HRS	2263.4	600 (+10%/-10%)					
	AFL	1964						
PROC. REF: AMM 24-30-01								
24-30/474^S BRUSH CHECK NO. 2 STARTER-GENERATOR (P/N 978.91.23.407) Service ATA:24								
PN:23085-31A	MOS	18-Apr-23						
SN:1967	HRS	2263.4	600 (+10%/-10%)					
	AFL	1964						
PROC. REF: AMM 24-30-01								
24-30/492 OVERHAUL NO. 1 STARTER GENERATOR (P/N 978.91.23.407) Service ATA:24								
PN:23085-031 MOD A	MOS	18-Apr-23						OVERHAUL
SN:P2598	HRS	2263.4	1200 (+10%/-10%)		3463.4	3583.4	1162.9 (+120)	
	AFL	1964						
PROC. REF: AMM 05-10-10								
24-30/493 OVERHAUL NO. 2 STARTER GENERATOR (P/N 978.91.23.407) Service ATA:24								
PN:23085-31A	MOS	18-Apr-23						OVERHAUL
SN:1967	HRS	2263.4	1200 (+10%/-10%)		3463.4	3583.4	1162.9 (+120)	
	AFL	1964						
PROC. REF: AMM 24-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-40/229^S EXAMINE EXTERNAL POWER UNIT (EPU) RECEPTACLE Service ATA:24								
	MOS	21-Apr-23	24 (+10%/-10%)					
	HRS	2263.4	2400 (+10%/-10%)					
	AFL	1964						
PROC. REF: GENERIC NO REF								PKG:21
24-50/70 REMOVE/CAPACITY CHECK EMERGENCY POWER SUPPLY Service ATA:24								
PN:501-1712-02	MOS	18-Apr-23	12 (+10%/-10%)		18-Apr-24	24-May-24	338 d (+36)	
SN:86371	HRS	2263.4						
WC#: 24.050	AFL	1964						
PROC. REF: AMM 24-52-51								
24-60/133^S EXAMINE COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS Service ATA:24								
	MOS	21-Apr-23	24 (+10%/-10%)					
	HRS	2263.4	2400 (+10%/-10%)					
	AFL	1964						
PROC. REF: GENERIC NO REF								PKG:21
240005 STARTER/GENERATOR 1 VOLTAGE REGULATOR Component ATA:24								
PN:9882114111	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:P4243	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-30-05								
240010 GENERATOR 1 300A CONTACTOR Component ATA:24								
PN:9740338113	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:525	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
240015 GENERATOR 2 300A CONTACTOR Component ATA:24								
PN:9740338113	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:445	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
240135 NO. 1 LEAD ACID BATTERY Component ATA:24								
PN:RG-380E/44K	MOS/MSC	21-Apr-23	O/C					
SN:41182267	HRS	2263.4						
WC#: 24.010	AFL	1964						
PROC. REF: AMM 24-30-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
240140	NO. 2 LEAD ACID BATTERY							Component	ATA:24
PN:RG-380E/44	MOS/MSC	21-Apr-23	O/C						
SN:41181482	HRS	2263.4							
WC#: 24.010	AFL	1964							
PROC. REF: AMM 24-30-07									
243010	NO. 2 STARTER-GENERATOR							Component	ATA:24
PN:23085-31A	MOS/MSC	18-Apr-23	O/C	TSO 0					
SN:1967	HRS	2263.4		TSO 0					
WC#: 24.215	AFL	1964		TSO 0					
PROC. REF: AMM 24-30-01									
243020	NO. 1 (GCU 1) GENERATOR CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243030	NO. 2 (GCU 2) GENERATOR CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243080	EMERGENCY POWER SUPPLY							Component	ATA:24
PN:501-1712-02	MOS/MSC	18-Apr-23	O/C						
SN:86371	HRS	2263.4							
WC#: 24.050	AFL	1964							
PROC. REF: AMM 24-52-51									
243100	NO. 1 NICAD BATTERY							Component	ATA:24
PN:PN	MOS/MSC	11-Oct-21	O/C						
SN:NOT INSTALLED	HRS	1626.1							
WC#: 24.060	AFL	1390							
PROC. REF: AMM 24-30-07									
243105	NO. 2 NICAD BATTERY							Component	ATA:24
PN:PN	MOS/MSC	11-Oct-21	O/C						
SN:NOT INSTALLED	HRS	1626.1							
WC#: 24.061	AFL	1390							
PROC. REF: AMM 24-30-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243160	NO. 1 STARTER GENERATOR							Component	ATA:24
PN:23085-031 MOD A	MOS/MSC	21-Apr-23	O/C		TSO 0				
SN:P2598	HRS	2263.4			TSO 0				
WC#: 24.205	AFL	1964			TSO 0				
PROC. REF: AMM 24-30-01									
243170	110 VOLT STATIC ,SS50 INVERTER							Component	ATA:24
PN:9750215107	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:7661	HRS	0			TSN 0				
WC#: 24.220	AFL	0			TSN 0				
PROC. REF: AMM 24-60-01									
243175	HALL EFFECT,FE1263 GEN 1 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:N4133	HRS	0			TSN 0				
WC#: 24.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
243180	HALL EFFECT,FE1263 GEN 2 TRANSDUCER							Component	ATA:24
PN:9755085111	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:N4165	HRS	0			TSN 0				
WC#: 24.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
243190	VOLTAGE REGULATOR							Component	ATA:24
PN:9882114111	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:P4248	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 24-30-06, AMM 24-30-05									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/134 ^S	EXAMINE CREW SEAT BELTS							Service	ATA:25
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/135 ^S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service	ATA:25
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:16
25-10/294	CREW SEAT BELTS							Component	ATA:25
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
25-10/296 ^S	REMOVE CREW SEATS AS NECESSARY TO DO INSPECTION							Service	ATA:25
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: AMM 25-10-01								PKG:15 ,16,17,18,19,20,21
25-10/297 ^S	INSTALL CREW SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: AMM 25-10-01								PKG:15 ,16,17,18,19,20,21
25-10/300 ^S	CREW SEATS - REMOVE CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.							Service	ATA:25
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 25-10-01								PKG:20
25-20/136 ^S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS							Service	ATA:25
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:17
25-20/137 ^S	EXAMINE PASSENGER SEATS - FOR EXECUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/295	PASSENGER SEAT BELTS							Component	ATA:25
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/298 ^S	REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION							Service	ATA:25
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 25-21-01, AMM 25-22-01									
25-20/299 ^S	INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 25-21-01, AMM 25-22-01									
25-20/302 ^S	EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service	ATA:25
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
25-60/231 ^S	FUNCTIONAL TEST EMERGENCY LOCATOR TRANSMITTER ELT. IF INSTALLED							Service	ATA:25
PN:9851380882	MOS	18-Apr-23	12 (+10%/-10%)						
SN:LX1100432751	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 25-63-00, AMM 25-63-00									
25-60/232 ^S	EXAMINE ELT INSTALLATION							Service	ATA:25
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
25-60/483	PERFORM EMERGENCY LOCATOR TRANSMITTER PERIODIC INSPECTION ON KANNAD 406 AF ELT. IF INSTALLED							Service	ATA:25
PN:9851380882	MOS/MSC	25-Apr-17	N/A						
SN:LX1100432751	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-63/23 ELT BATTERY Component ATA:25								
PN:PN-UNKNOWN	MOS/MSC		DUE	TSN 0	01-Sep-23 (M)		108 d	DISCARD
SN:UNKNOWN	HRS			TSN 0				
WC#: 25.020	AFL			TSN 0				
PROC. REF: GENERIC NO REF								
25-63/434 DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED) Service ATA:25								
PN:9851380881	MOS	25-Apr-17	120 (+6m/-6m)		25-Apr-27	25-Oct-27	1440 d (+183)	DISCARD
SN:LX1100418699	HRS	0	16000 (+500/-500)		16000	16500	13699.5 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REF								
250005 REMOTE CONTROL PANEL Component ATA:25								
PN:9851380817	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:TM0000097726	HRS	0		TSN 0				
WC#: 25.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
250010 EMERGENCY LOCATOR TRANSMITTER Component ATA:25								
PN:9851380882	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:LX1100432751	HRS	0		TSN 0				
WC#: 25.050	AFL	0		TSN 0				
PROC. REF: AMM 25-63-00								
250015 IPECO PILOT SEAT Component ATA:25								
PN:3A318-0007-03-3	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:85531	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: AMM 25-10-01								
250020 IPECO CO-PILOT SEAT Component ATA:25								
PN:3A318-0008-03-3	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:85225	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: AMM 25-10-01								
250021 L/H NO. 1 AFSS PASSENGER SEAT Component ATA:25								
PN:9593001821	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:62004	HRS	0		TSN 0				
WC#: 25.120	AFL	0		TSN 0				
PROC. REF: AMM 25-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
250022	R/H NO. 2 AFSS PASSENGER SEAT							Component	ATA:25
PN:9593001822	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:62005	HRS	0		TSN 0					
WC#: 25.125	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250023	L/H NO. 3 FFSS PASSENGER SEAT							Component	ATA:25
PN:9593001835	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:62006	HRS	0		TSN 0					
WC#: 25.130	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250024	R/H NO. 4 FFSS PASSENGER SEAT							Component	ATA:25
PN:9593001836	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:62007	HRS	0		TSN 0					
WC#: 25.135	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250025	L/H NO. 5 FFSS PASSENGER SEAT							Component	ATA:25
PN:9593001837	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:62008	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250026	R/H NO. 6 FFSS PASSENGER SEAT							Component	ATA:25
PN:9593001838	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:62009	HRS	0		TSN 0					
WC#: 25.145	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250027	L/H NO. 7 STANDARD PASSENGER SEAT							Component	ATA:25
PN:5252212011	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1968	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: AMM 25-22-01									
250028	R/H NO. 8 STANDARD PASSENGER SEAT							Component	ATA:25
PN:5252212012	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2010	HRS	0		TSN 0					
WC#: 25.155	AFL	0		TSN 0					
PROC. REF: AMM 25-22-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250630 KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY (IF KANNAD ELT NAV INTERFACE IS INSTALLED) MODULE								
Component ATA:25								
PN:9851380881	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:LX1100418699	HRS	0		TSN 0				
WC#: 25.060	AFL	0		TSN 0				
PROC. REF: AMM 25-63-03								
256001A^U VISUAL CHECK FIRST AID KITS								
Service ATA:25								
	MOS/MSC	11-Oct-21	DUE		28-Oct-26 (M)		1261 d	
	HRS	1626.1						
	AFL	1390						
256020 LH BLACK PILOT SEAT								
Component ATA:25								
PN:9593001165	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:85531	HRS	0		TSN 0				
WC#: 25.090	AFL	0		TSN 0				
PROC. REF: AMM 25-10-01								
256025 RH BLACK CO-PILOT SEAT								
Component ATA:25								
PN:9593001166	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:85225	HRS	0		TSN 0				
WC#: 25.100	AFL	0		TSN 0				
PROC. REF: AMM 25-10-01								
256114^U PILOT LIFE VEST								
Component ATA:25								
PN:63600-105	MOS/MSC	25-Apr-17	O/C					
SN:L3513066	HRS	0						
	AFL	0						
	ACH	0						
256115^U COPILOT LIFE VEST								
Component ATA:25								
PN:63600-105	MOS/MSC	25-Apr-17	O/C					
SN:L3513094	HRS	0						
	AFL	0						
	ACH	0						
256116^U NO. 3 LIFE VEST								
Component ATA:25								
PN:63600-105	MOS/MSC	25-Apr-17	O/C					
SN:L3513070	HRS	0						
	AFL	0						
	ACH	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256117 ^U		NO. 4 LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	25-Apr-17	O/C						
SN:L3552290	HRS	0							
	AFL	0							
	ACH	0							
256118 ^U		NO. 5 LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	25-Apr-17	O/C						
SN:L3523064	HRS	0							
	AFL	0							
	ACH	0							
256119 ^U		NO. 6 LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	25-Apr-17	O/C						
SN:L3513076	HRS	0							
	AFL	0							
	ACH	0							
256120 ^U		NO. 7 LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	11-May-21	O/C		TSO 0				
SN:L1402971	HRS	1528.1			TSO 0				
	AFL	1304			TSO 0				
256121 ^U		NO. 8 LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC	25-Apr-17	O/C						
SN:L3552295	HRS	0							
	AFL	0							
	ACH	0							
256122 ^U		NO. 1 LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC		O/C						
SN:L3552296	HRS								
	AFL								
256123 ^U		NO. 2 LIFE VEST							Component ATA:25
PN:63600-105	MOS/MSC		O/C						
SN:L3552298	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256124 ^U		NO. 1 LIFE VEST (INFANT)						Component	ATA:25
PN:P0640-101	MOS/MSC		O/C						
SN:18100670479	HRS								
	AFL								
256125 ^U		NO. 2 LIFE VEST (INFANT)						Component	ATA:25
PN:P0640-101	MOS/MSC		O/C						
SN:18100670506	HRS								
	AFL								
256126 ^U		NO. 3 LIFE VEST (INFANT)						Component	ATA:25
PN:P0640-101	MOS/MSC		O/C						
SN:18100670508	HRS								
	AFL								
256130 ^U		RECERTIFY PILOT LIFE VEST						Service	ATA:25
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d		
SN:L3513066	HRS								
	AFL								
256131 ^U		RECERTIFY COPILOT LIFE VEST						Service	ATA:25
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d		
SN:L3513094	HRS								
	AFL								
256132 ^U		RECERTIFY NO. 3 LIFE VEST						Service	ATA:25
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d		
SN:L3513070	HRS								
	AFL								
256133 ^U		RECERTIFY NO. 4 LIFE VEST						Service	ATA:25
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d		
SN:L3552290	HRS								
	AFL								
256134 ^U		RECERTIFY NO. 5 LIFE VEST						Service	ATA:25
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d		
SN:L3523064	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256135^U RECERTIFY NO. 6 LIFE VEST								
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d	Service ATA:25
SN:L3513076	HRS							
	AFL							
256136^U RECERTIFY NO. 7 LIFE VEST								
PN:63600-105	MOS	12-Apr-21	120		12-Apr-31		2888 d	Service ATA:25
SN:L1402971	HRS							
	AFL							
256137^U RECERTIFY NO. 8 LIFE VEST								
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d	Service ATA:25
SN:L3552295	HRS							
	AFL							
256138^U RECERTIFY NO. 1 LIFE VEST								
PN:63600-105	MOS	01-Sep-16	120		01-Sep-26		1204 d	Service ATA:25
SN:L3552296	HRS							
	AFL							
256139^U RECERTIFY NO. 2 LIFE VEST								
PN:63600-105	MOS	01-Oct-16	120		01-Oct-26		1234 d	Service ATA:25
SN:L3552298	HRS							
	AFL							
256140^U RECERTIFY NO. 1 LIFE VEST (INFANT)								
PN:P0640-101	MOS	01-Oct-18	120		01-Oct-28		1965 d	Service ATA:25
SN:18100670479	HRS							
	AFL							
256141^U RECERTIFY NO. 2 LIFE VEST (INFANT)								
PN:P0640-101	MOS	01-Oct-18	120		01-Oct-28		1965 d	Service ATA:25
SN:18100670506	HRS							
	AFL							
256142^U RECERTIFY NO. 3 LIFE VEST (INFANT)								
PN:P0640-101	MOS	01-Oct-18	120		01-Oct-28		1965 d	Service ATA:25
SN:18100670508	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20/2 CABIN FIRE EXTINGUISHER 1.5 KG Component ATA:26								
PN:PN	MOS/MSC		O/C					
SN:UNKNOWN	HRS							
WC#: 26.030	AFL							
PROC. REF: AMM 26-20-02								
26-20/2 COCKPIT FIRE EXTINGUISHER Component ATA:26								
PN:9590806219	MOS	01-Nov-16	120	TSN 0	01-Nov-26		1265 d	LIFE LIMIT
SN:103676	HRS			TSN 0				
WC#: 26.010	AFL			TSN 0				
Manufacture Date:: 01-Nov-16 PROC. REF: AMM 26-20-01								
26-20/24 CONTENTS CHECK COCKPIT FIRE EXTINGUISHER Service ATA:26								
PN:9590806219	MOS	18-Apr-23	12 (+1m/-1m)	Adj 23d	11-May-24	11-Jun-24	361 d (+31)	
SN:103676	HRS	2263.4						
WC#: 26.010	AFL	1964						
PROC. REF: GENERIC NO REF								
26-20/516 LIFE LIMIT (MODEL P3APP003010D - P/N 959.08.06.224) Service ATA:26								
	MOS/MSC	25-Apr-17	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
26-20/516 LIFE LIMIT (MODEL P3APP003010D - P/N 959.08.06.224) Service ATA:26								
PN:9590806219	MOS/MSC	25-Apr-17	N/A					
SN:103676	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
260005 FIRE/OVERHEAT DETECTOR Component ATA:26								
PN:9751210012	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:215182	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: AMM 26-10-01								
ATA 27 - FLIGHT CONTROLS								
27-00/138^S AILERON, ELEVATOR AND RUDDER CONTROLS - OPERATE, MAKE SURE FULL AND FREE TRAVEL Service ATA:27								
	MOS	18-Apr-23						
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: GENERIC NO REF									
PKG:16									
27-00/402	EXAMINE - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES							Service	ATA:27
	MOS	25-Apr-17							
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 27.255	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: GENERIC NO REF									
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service	ATA:27
	MOS	20-Jun-22	60 (+10%/-10%)	Adj -51d	30-Apr-27	31-Oct-27	1445 d (+184)		
	HRS	1938.9	4800 (+10%/-10%)		6738.9	7218.9	4438.4 (+480)		
WC#: 27.010	AFL	1685							
PROC. REF: AMM 27-00-00									
27-10/139 ^S	AILERON LH AND RH - EXAMINE AND LUBRICATE THE TRIMHINGES WITH MINIMUM QUANTITY OFCPC (MAT. NO. P10-001)							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:17									
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:20									
27-10/235 ^S	EXAMINE AILERON ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:20									
27-10/236 ^S	AILERON CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-10-00									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/237 ^S	CHECK AILERON CABLE TENSION							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 27-10-00				PKG:20	
27-10/238 ^S	FUNCTIONAL TEST AILERONS							Service	ATA:27
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 27-10-00				PKG:21	
27-10/394	AILERON CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.155	AFL	0	T:42000		42000		40010		
				PROC. REF: AMM 27-10-00					
27-10/395	EDDY CURRENT INSPECTION AILERON CABLE SEGMENT							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.160	AFL	0	T:42000		42000		40010		
				PROC. REF: AMM 27-10-09					
27-10/396	EDDY CURRENT INSPECTION - AILERON CONTROL RODS							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.165	AFL	0	T:42000		42000		40010		
				PROC. REF: AMM 27-00-01					
27-10/397	MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.170	AFL	0	T:42000		42000		40010		
				PROC. REF: AMM 27-00-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/398	AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.175	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 27-10-08, AMM 27-10-08, AMM 27-10-08									
27-10/400	EDDY CURRENT INSPECTION - LEFT WING AILERON HINGE POINTS							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.215	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 57-60-06									
27-10/444	FLIGHT CONTROL CABLES, AILERON							Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: AMM 27-10-01									
27-10/445	AUTOPILOT CONTROL CABLE, AILERON							Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: AMM 27-10-02									
27-10/470 ^S	LUBRICATE AILERON CONTROL SYSTEM BEARINGS							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-10-00									
27-15/239 ^S	FUNCTIONAL TEST AILERON TRIM							Service	ATA:27
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-15-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/140 ^S	INSPECTION/CHECK RUDDER							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 55-40-00				PKG:17	
27-20/240 ^S	EXAMINE RUDDER STATIC DISCHARGERS							Service	ATA:27
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
				PROC. REF: GENERIC NO REF				PKG:21	
27-20/241 ^S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 27-20-00				PKG:20	
27-20/243 ^S	CHECK RUDDER CABLE TENSION							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 27-20-00				PKG:20	
27-20/244 ^S	FUNCTIONAL TEST RUDDER							Service	ATA:27
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 27-20-00				PKG:21	
27-20/245 ^S	FUNCTIONAL TEST RUDDER TRIM							Service	ATA:27
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
				PROC. REF: AMM 27-25-00				PKG:21	
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
				PROC. REF: GENERIC NO REF				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/374 RUDDER CONTROL SYSTEM - EXAMINE Service ATA:27								
	MOS	25-Apr-17						AIRWORTHINESS
	HRS	0	T:32500		32500		30199.5	
WC#: 27.180	AFL	0	T:42000		42000		40010	
PROC. REF: AMM 27-20-00								
27-20/376 EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT Service ATA:27								
	MOS	25-Apr-17						AIRWORTHINESS
	HRS	0	T:32500		32500		30199.5	
WC#: 27.190	AFL	0	T:42000		42000		40010	
PROC. REF: AMM 27-20-05								
27-20/430 RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED Service ATA:27								
	MOS/MSC	11-Aug-17	O/C					
	HRS	133.62						
	AFL	103						
PROC. REF: AMM 27-20-00								
27-20/431 FLIGHT CONTROL CABLES, RUDDER RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER) Service ATA:27								
	MOS/MSC		A/R					
	HRS	0						
	AFL							
PROC. REF: AMM 27-20-00								
27-20/446 FLIGHT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5	
	AFL	0	27000	TSN 0	27000		25010	
PROC. REF: AMM 27-20-01								
27-20/447 AUTOPILOT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5	
	AFL	0	27000	TSN 0	27000		25010	
PROC. REF: AMM 27-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/141 ^S	EXAMINE ELEVATORS							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:17
27-30/247 ^S	EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:20
27-30/248 ^S	EXAMINE ELEVATOR STATIC DISCHARGERS							Service	ATA:27
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:21
27-30/249 ^S	ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 27-30-00								PKG:20
27-30/250 ^S	CHECK ELEVATOR CABLE TENSION							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 27-30-00								PKG:20
27-30/251 ^S	FUNCTIONAL TEST ELEVATOR							Service	ATA:27
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 27-30-00								PKG:21
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service	ATA:27
	MOS/MSC	11-Aug-17	O/C						
	HRS	133.62							
WC#: 27.150	AFL	103							
	PROC. REF: AMM 27-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/334	CHECK FLIGHT CONTROL CABLES, ELEVATOR ELEVATOR CONTROL CABLES TENSION - AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service	ATA:27
	MOS/MSC		A/R						
	HRS	0							
	AFL								
	PROC. REF: AMM 27-30-00								
27-30/363	ELEVATOR - CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.195	AFL	0	T:42000		42000		40010		
	PROC. REF: AMM 27-30-00								
27-30/364	EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.200	AFL	0	T:42000		42000		40010		
	PROC. REF: AMM 27-00-01								
27-30/365	MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.205	AFL	0	T:42000		42000		40010		
	PROC. REF: AMM 27-00-01								
27-30/366	EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 27.210	AFL	0	T:42000		42000		40010		
	PROC. REF: AMM 27-30-05								
27-30/448	FLIGHT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
	PROC. REF: AMM 27-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/449	AUTOPILOT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: AMM 27-30-02									
27-30/450	STICK PUSHER CABLES							Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: GENERIC NO REF									
27-30/514 ^S	EXAMINE - ELEVATOR STOPS							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 55-20-01									
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)	AIRWORTHINESS	
	HRS	2263.4	3000		5263.4		2962.9		
WC#: 27.021	AFL	1964							
PROC. REF: AMM 27-40-00									
27-40/142 ^S	OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-40-00									
27-40/252 ^S	EXAMINE HORIZONTAL STABILIZER TRIM ACTUATOR TOP AND BOTTOM ATTACHMENTS							Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-40/26		OVERHAUL PITCH TRIM ACTUATOR						Service	ATA:27
PN:129-1-1100-02	MOS	18-Apr-23	72		18-Apr-29		2164 d	OVERHAUL	
SN:541	HRS	2263.4	4200		6463.4		4162.9		
	AFL	1964							
PROC. REF: GENERIC NO REF									
27-40/291 ^S		OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM						Service	ATA:27
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-40-00									
PKG:16									
27-40/292 ^S		FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM						Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-40-00									
PKG:20									
27-40/3		REPLACE PITCH TRIM ACTUATOR						Service	ATA:27
PN:129-1-1100-02	MOS	18-Apr-23						LIFE LIMIT	
SN:541	HRS	2263.4	20000		22263.4		19962.9		
	AFL	1964	27000		28964		26974		
PROC. REF: GENERIC NO REF									
27-40/307		PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT PARTS (IPC 12-20-00-7)						Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	10000	TSN 0	10000		7699.5		
WC#: 27.036	AFL	0		TSN 0					
PROC. REF: AMM 27-40-02									
27-40/574		DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161						Service	ATA:27
PN:974.20.01.221	MOS	18-Apr-23	12 (+10%/-10%)		18-Apr-24	24-May-24	338 d (+36)	DISCARD	
SN:SN-UNKNOWN1	HRS	2263.4	1200 (+10%/-10%)		3463.4	3583.4	1162.9 (+120)		
	AFL	1964							
PROC. REF: GENERIC NO REF									
27-50/143 ^S		LOWER FLAPS TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION						Service	ATA:27
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:15 ,16,17,18,19,20,21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/144 ^S		EXAMINE FLAPS AND FLAP SUPPORT MECHANISM							Service ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:17	
27-50/253 ^S		EXAMINE FLAPS ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:20	
27-50/254 ^S		EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS							Service ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:20	
27-50/255 ^S		FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST							Service ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 27-50-00								PKG:20	
27-50/28		FLAP POWER DRIVE UNIT							Component ATA:27
PN:9787320003	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:1543	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7699.5 (+500)		
WC#: 27.030	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11510 (+500)		
PROC. REF: AMM 27-50-01									
27-50/31		LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:9450202205	MOS	25-Apr-17		TSN 0				DISCARD	
SN:S7821	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7699.5 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11510 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:9450202206	MOS	25-Apr-17		TSN 0				DISCARD	
SN:S7773	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7699.5 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11510 (+500)		
PROC. REF: AMM 27-50-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/31	RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:9450202205	MOS	25-Apr-17		TSN 0				DISCARD	
SN:S7822	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7699.5 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11510 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31	RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:9450202206	MOS	25-Apr-17		TSN 0				DISCARD	
SN:S7771	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	7699.5 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11510 (+500)		
PROC. REF: AMM 27-50-02									
27-50/386	FLAP MECHANISM - EXAMINE							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:30000		30000		27699.5		
WC#: 27.220	AFL	0	T:39000		39000		37010		
PROC. REF: AMM 27-51-00									
27-50/387	EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
WC#: 27.225	AFL	0	T:30000		30000		28010		
PROC. REF: AMM 27-51-00									
27-50/388	EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:30000		30000		27699.5		
WC#: 27.230	AFL	0	T:39000		39000		37010		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:30000		30000		27699.5		
WC#: 27.235	AFL	0	T:39000		39000		37010		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/390 EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FITTINGS								
	MOS	25-Apr-17						Service ATA:27 AIRWORTHINESS
	HRS	0	T:30000		30000		27699.5	
WC#: 27.240	AFL	0	T:39000		39000		37010	
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/391 EDDY CURRENT INSPECTION - FLAP AFT LINKS								
	MOS	25-Apr-17						Service ATA:27 AIRWORTHINESS
	HRS	0	T:30000		30000		27699.5	
WC#: 27.245	AFL	0	T:39000		39000		37010	
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/392 EDDY CURRENT INSPECTION - FLAP BELLCRANKS								
	MOS	25-Apr-17						Service ATA:27 AIRWORTHINESS
	HRS	0	T:30000		30000		27699.5	
WC#: 27.250	AFL	0	T:39000		39000		37010	
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03								
27-50/414 LEFT HAND FLAP								
PN:5570512025	MOS	25-Apr-17		TSN 0				Component ATA:27 LIFE LIMIT
SN:1400M	HRS	0	25000	TSN 0	25000		22699.5	
WC#: 57.060	AFL	0	30000	TSN 0	30000		28010	
PROC. REF: GENERIC NO REF								
27-50/414 RIGHT HAND FLAP								
PN:5570512026	MOS	25-Apr-17		TSN 0				Component ATA:27 LIFE LIMIT
SN:1400M	HRS	0	25000	TSN 0	25000		22699.5	
WC#: 57.060	AFL	0	30000	TSN 0	30000		28010	
PROC. REF: GENERIC NO REF								
27-50/437 INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK								
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 1d	19-Apr-24	25-May-24	339 d (+36)	Service ATA:27 AIRWORTHINESS
	HRS	2263.4	600 (+10%/-10%)		2863.4	2923.4	562.9 (+60)	
	AFL	1964						
PROC. REF: AMM 27-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/443 ^S		SERVICE FLAP UP AND DOWN LIMIT SWITCHES						Service	ATA:27
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 12-20-07								PKG:17	
27-50/451		LEFT INBOARD FLAP TENSION RODS						Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: GENERIC NO REF									
27-50/451		LEFT MID FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: GENERIC NO REF									
27-50/451		LEFT OUTBOARD FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: GENERIC NO REF									
27-50/451		RIGHT INBOARD FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: GENERIC NO REF									
27-50/451		RIGHT MID FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/451	RIGHT OUTBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		17699.5		
	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: GENERIC NO REF									
27-50/475 ^S	RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION							Service	ATA:27
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: GENERIC NO REF									
27-50/485	LEFT INBOARD FLAP ACTUATOR							Component	ATA:27
PN:9787320309	MOS	25-Apr-17		TSN 0				DISCARD	
SN:6072	HRS	0	20000	TSN 0	20000		17699.5		
WC#: 27.040	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: AMM 27-50-03									
27-50/485	LEFT OUTBOARD FLAP ACTUATOR							Component	ATA:27
PN:9787320309	MOS	25-Apr-17		TSN 0				DISCARD	
SN:6079	HRS	0	20000	TSN 0	20000		17699.5		
WC#: 27.041	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: AMM 27-50-03									
27-50/485	RIGHT INBOARD FLAP ACTUATOR							Component	ATA:27
PN:9787320309	MOS	25-Apr-17		TSN 0				DISCARD	
SN:6073	HRS	0	20000	TSN 0	20000		17699.5		
WC#: 27.050	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: AMM 27-50-03									
27-50/485	RIGHT OUTBOARD FLAP ACTUATOR							Component	ATA:27
PN:9787320309	MOS	25-Apr-17		TSN 0				DISCARD	
SN:6086	HRS	0	20000	TSN 0	20000		17699.5		
WC#: 27.051	AFL	0	27000	TSN 0	27000		25010		
PROC. REF: AMM 27-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/495		BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	24-Jun-22	24 (+10%/-10%)	Adj -55d	30-Apr-24	12-Jul-24	350 d (+73)		
SN:6072	HRS	1938.9	2400 (+10%/-10%)		4338.9	4578.9	2038.4 (+240)		
WC#: 27.040	AFL	1685	3200 (+10%/-10%)		4885	5205	2895 (+320)		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	24-Jun-22	24 (+10%/-10%)	Adj -55d	30-Apr-24	12-Jul-24	350 d (+73)		
SN:6079	HRS	1938.9	2400 (+10%/-10%)		4338.9	4578.9	2038.4 (+240)		
WC#: 27.041	AFL	1685	3200 (+10%/-10%)		4885	5205	2895 (+320)		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	24-Jun-22	24 (+10%/-10%)	Adj -55d	30-Apr-24	12-Jul-24	350 d (+73)		
SN:6073	HRS	1938.9	2400 (+10%/-10%)		4338.9	4578.9	2038.4 (+240)		
WC#: 27.050	AFL	1685	3200 (+10%/-10%)		4885	5205	2895 (+320)		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	24-Jun-22	24 (+10%/-10%)	Adj -55d	30-Apr-24	12-Jul-24	350 d (+73)		
SN:6086	HRS	1938.9	2400 (+10%/-10%)		4338.9	4578.9	2038.4 (+240)		
WC#: 27.051	AFL	1685	3200 (+10%/-10%)		4885	5205	2895 (+320)		
PROC. REF: AMM 27-50-03									
27-50/506		OVERHAUL LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	25-Apr-17					OVERHAUL		
SN:6072	HRS	0	5000 (+10%/-10%)		5000	5500	2699.5 (+500)		
WC#: 27.040	AFL	0	7000 (+500/-500)		7000	7500	5010 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:9787320309	MOS	25-Apr-17					OVERHAUL		
SN:6079	HRS	0	5000 (+10%/-10%)		5000	5500	2699.5 (+500)		
WC#: 27.041	AFL	0	7000 (+500/-500)		7000	7500	5010 (+500)		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/506		OVERHAUL RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	25-Apr-17						OVERHAUL	
SN:6073	HRS	0	5000 (+10%/-10%)		5000	5500	2699.5 (+500)		
WC#: 27.050	AFL	0	7000 (+500/-500)		7000	7500	5010 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	25-Apr-17						OVERHAUL	
SN:6086	HRS	0	5000 (+10%/-10%)		5000	5500	2699.5 (+500)		
WC#: 27.051	AFL	0	7000 (+500/-500)		7000	7500	5010 (+500)		
PROC. REF: GENERIC NO REF									
27-50/576 ^S		LUBRICATE LEFT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	18-Apr-23	12 (+10%/-10%)						
SN:6072	HRS	2263.4	300 (+10%/-10%)						
WC#: 27.040	AFL	1964							
PROC. REF: AMM 27-50-00									
PKG:17									
27-50/576 ^S		LUBRICATE LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	18-Apr-23	12 (+10%/-10%)						
SN:6079	HRS	2263.4	300 (+10%/-10%)						
WC#: 27.041	AFL	1964							
PROC. REF: AMM 27-50-00									
PKG:17									
27-50/576 ^S		LUBRICATE RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	18-Apr-23	12 (+1m/-1m)						
SN:6073	HRS	2263.4	300 (+10%/-10%)						
WC#: 27.050	AFL	1964							
PROC. REF: AMM 27-50-00									
PKG:17									
27-50/576 ^S		LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	18-Apr-23	12 (+1m/-1m)						
SN:6086	HRS	2263.4	300 (+10%/-10%)						
WC#: 27.051	AFL	1964							
PROC. REF: AMM 27-50-00									
PKG:17									
270003		HORIZONTAL TAIL ASSY							Component ATA:27
PN:5551012037	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1521	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 55-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270015	ELEVATOR LH ASSY							Component	ATA:27
PN:5552012041	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1608	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
PROC. REF: AMM 55-20-01									
270023	ELEVATOR RH ASSY							Component	ATA:27
PN:5552012042	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1605	HRS	0		TSN 0					
WC#: 27.023	AFL	0		TSN 0					
PROC. REF: AMM 55-20-01									
270025	RUDDER TRIM LINEAR ACTUATOR							Component	ATA:27
PN:9787318138	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1529	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: AMM 27-25-01									
270033	RUDDER ASSY							Component	ATA:27
PN:5554012040	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1402M	HRS	0		TSN 0					
WC#: 27.033	AFL	0		TSN 0					
PROC. REF: AMM 55-40-01									
270035	FLAP CONTROL AND WARNING UNIT							Component	ATA:27
PN:9787320017	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:136806	HRS	0		TSN 0					
WC#: 27.130	AFL	0		TSN 0					
PROC. REF: AMM 27-50-05									
270045	LH INBOARD TRANSMITTER							Component	ATA:27
PN:9787320021	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16D0078DX	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270050	LH ROTATION TRANSMITTER							Component	ATA:27
PN:9787320602	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2510	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270060		LH OUTBOARD TRANSMITTER						Component	ATA:27
PN:9787320021	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1600083DW	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270070		RH INBOARD TRANSMITTER						Component	ATA:27
PN:9787320021	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16D0038DX	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270075		RH ROTATION,C70016705 TRANSMITTER						Component	ATA:27
PN:9787320602	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2520	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270080		KTA2810,TRIM ADAPTER						Component	ATA:27
PN:9859912249	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:KTA2810-2269	HRS	0		TSN 0					
WC#: 22.135	AFL	0		TSN 0					
PROC. REF: AMM 22-10-07, AMM 22-10-07									
270090		AILERON LINEAR ACTUATOR						Component	ATA:27
PN:9787318138	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1528	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 27-15-01									
270095		RH OUTBOARD TRANSMITTER						Component	ATA:27
PN:9787320021	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16D0076DX	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
274020		PITCH TRIM ACTUATOR						Component	ATA:27
PN:129-1-1100-02	MOS/MSC	18-Apr-23	H/T	TSO 0					
SN:541	HRS	2263.4		TSO 0					
	AFL	1964		TSO 0					
PROC. REF: AMM 27-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274030	MANUAL PITCH TRIM RELAYS							Component	ATA:27
PN:974.20.01.221	MOS/MSC	18-Apr-23	H/T	TSN 0					
SN:SN-UNKNOWN1	HRS	2263.4		TSN 0					
	AFL	1964		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 28 - FUEL									
28-10/145 ^S	EXAMINE FUEL TANK FILLER CAPS							Service	ATA:28
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:17									
28-10/146 ^S	SAMPLE FUEL - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service	ATA:28
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 28-10-02									
PKG:17									
28-10/306	OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE							Service	ATA:28
	MOS								
	HRS	0	2400 (+10%/-10%)	2400	2640	99.5 (+240)			
WC#: 28.029	AFL								
PROC. REF: AMM 28-10-01									
28-20/147 ^S	OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR							Service	ATA:28
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 28-20-07									
PKG:17									
28-20/148 ^S	REMOVE/CLEAN FUEL FILTER ELEMENT							Service	ATA:28
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 28-20-01, AMM 28-20-01									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-20/149 ^S	OPERATE FIREWALL SHUTOFF VALVE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (4-4.5 N)							Service	ATA:28
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:19	
28-20/150 ^S	EXAMINE ENGINE DRIVEN PUMP							Service	ATA:28
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:17	
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED / REMOVED IN THIS INSPECTION PACKAGE							Service	ATA:28
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:21	
28-20/32	ACCOMPLISH ENGINE DRIVEN							Service	ATA:28
PN:9688451108	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:B6147	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1199.5 (+350)		
WC#: 28.010	AFL	0		TSN 0					
	PROC. REF: AMM 28-20-03								
280005	LOW PRESSURE FUEL PUMP							Component	ATA:28
PN:9688451108	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:B6147	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
	PROC. REF: AMM 28-20-03								
280010	FUEL FLOW TRANSMITTER							Component	ATA:28
PN:9753512108	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:AAR0410	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
	PROC. REF: AMM 73-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280012	FUEL CONTROL MONITORING UNIT							Component	ATA:28
PN:9753731336	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:886	HRS	0			TSN 0				
WC#: 28.155	AFL	0			TSN 0				
PROC. REF: AMM 28-40-04, AMM 73-20-01									
280015	FIREWALL FUEL,SHUT-OFF VALVE							Component	ATA:28
PN:9638722301	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:3762	HRS	0			TSN 0				
WC#: 28.110	AFL	0			TSN 0				
PROC. REF: AMM 28-20-08									
280020	MAINTENANCE FUEL SHUT-OFF VALVE							Component	ATA:28
PN:9638722301	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:3763	HRS	0			TSN 0				
WC#: 28.110	AFL	0			TSN 0				
PROC. REF: AMM 28-20-12									
280025	FUEL FILTER ASSY							Component	ATA:28
PN:9683521001	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:2016FT2176	HRS	0			TSN 0				
WC#: 28.025	AFL	0			TSN 0				
PROC. REF: AMM 28-20-01									
280030	FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:9738114102	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:2835	HRS	0			TSN 0				
WC#: 28.100	AFL	0			TSN 0				
PROC. REF: AMM 28-20-02									
280035	EJECTOR,TRANSFER LH PUMP							Component	ATA:28
PN:9688471104	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:B6184	HRS	0			TSN 0				
WC#: 28.040	AFL	0			TSN 0				
PROC. REF: AMM 28-20-05									
280040	EJECTOR,DELIVERY LH PUMP							Component	ATA:28
PN:9688471105	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:B6008	HRS	0			TSN 0				
WC#: 28.030	AFL	0			TSN 0				
PROC. REF: AMM 28-20-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280045	FUEL QUANTITY OUTER LH SENSOR							Component	ATA:28
PN:9753731253	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2549	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280050	FUEL QUANTITY,CENTRAL LH SENSOR							Component	ATA:28
PN:9753731252	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2523	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280055	FUEL QUANTITY,INNER LH SENSOR							Component	ATA:28
PN:9753731251	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2486	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280060	FUEL QUANTITY,COLLECTOR LH SENSOR							Component	ATA:28
PN:9753731250	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2480	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280065	FUEL,BOOSTER LH PUMP							Component	ATA:28
PN:9688411405	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:C-704	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-20-04									
280070	EJECTOR,TRANSFER RH PUMP							Component	ATA:28
PN:9688471104	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:B6230	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									
280075	EJECTOR,DELIVERY RH PUMP							Component	ATA:28
PN:9688471105	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:B6009	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280080		FUEL QUANTITY, COLLECTOR RH SENSOR					Component		ATA:28
PN:9753731250	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2481	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280085		FUEL QUANTITY, INNER RH SENSOR					Component		ATA:28
PN:9753731251	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2484	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280090		FUEL QUANTITY, CENTRAL RH SENSOR					Component		ATA:28
PN:9753731252	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2522	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280095		FUEL QUANTITY, OUTER RH SENSOR					Component		ATA:28
PN:9753731253	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2550	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280100		FUEL, BOOSTER RH PUMP					Component		ATA:28
PN:9688411405	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:C-716	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-20-04									
280105		TOP CHECK VALVE					Component		ATA:28
PN:9630423105	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3853	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
280110		BOTTOM CHECK VALVE					Component		ATA:28
PN:9630423105	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3858	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280115	LH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:9753731335	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1765	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
280120	RH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:9753731335	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1711	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 29 - HYDRAULIC POWER									
29-10/151	LOW PRESSURE FILTER BLOCKAGE INDICATOR (IF INSTALLED) - MAKE SURE THAT IT HAS NOT COME OUT. IF INDICATOR FOUND OUT, DO THE INSPECTION/CHECK PROCEDURE							Service	ATA:29
	MOS/MSC	31-Jul-17	N/A						
	HRS	133.62							
	AFL	103							
PROC. REF: AMM 29-10-04									
29-10/153	RESERVOIR TANK (IF INSTALLED) - MAKE SURE NITROGEN PRESSURE IS CORRECT. PRESSURIZE AS NECESSARY							Service	ATA:29
	MOS/MSC	31-Jul-17	N/A						
	HRS	133.62							
	AFL	103							
PROC. REF: AMM 29-00-00									
29-10/257	POWER PACK (IF INSTALLED) - EXAMINE SPECIALLY FOR LEAKS AND CRACKS ON THE END PLATES AND WHERE MOTOR IS ATTACHED							Service	ATA:29
	MOS/MSC	07-May-18	N/A						
	HRS	390.28							
	AFL	329							
PROC. REF: AMM 29-00-00									
29-10/258	CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.291)							Service	ATA:29
	MOS/MSC	07-May-18	N/A						
	HRS	390.28							
	AFL	329							
PROC. REF: AMM 29-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-10/259	POWER PACK ELECTRIC MOTOR SHAFT SEAL DRAIN FLUID COLLECTOR BOTTLE (IF INSTALLED) - REMOVE, CLEAN AND RE-INSTALL							Service	ATA:29
	MOS/MSC	07-May-18	N/A						
	HRS	390.28							
	AFL	329							
PROC. REF: GENERIC NO REF									
29-10/316	HYDRAULIC SYSTEM (IF INSTALLED) - MAKE SURE FLUID LEVEL INDICATOR ON THE RESERVOIR TANK SHOWS FULL. FILL AS NEEDED.							Service	ATA:29
	MOS/MSC	31-Jul-17	N/A						
	HRS	133.62							
	AFL	103							
PROC. REF: AMM 29-00-00									
29-10/418	NITROGEN ACCUMULATOR (IF INSTALLED)							Component	ATA:29
PN:PN	MOS/MSC	25-Apr-17	N/A	TSN 0					
SN:NOT INSTALLED	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
PROC. REF: AMM 29-10-02									
29-10/471	CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.292)							Service	ATA:29
PN:PN	MOS/MSC	25-Apr-17	N/A						
SN:NOT INSTALLED	HRS	0							
	AFL	0							
PROC. REF: AMM 29-10-02									
ATA 30 - ICE AND RAIN PROTECTION									
30-10/154 ^S	INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS							Service	ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 30-10-00									
30-10/155 ^S	OPERATIONAL TEST INERTIAL SEPARATION SYSTEM							Service	ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 30-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-10/260 ^S	FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM							Service	ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 30-10-00, AMM 30-10-00								PKG:20
30-10/79	APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1							Service	ATA:30
	MOS	18-Apr-23	6 (+10%/-10%)	Adj 6d	24-Oct-23	11-Nov-23	161 d (+18)		
	HRS	2263.4							
WC#: 30.010	AFL	1964							
	PROC. REF: GENERIC NO REF								
30-20/156 ^S	EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS, NONE ARE PERMITTED							Service	ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:17
30-20/261 ^S	EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001							Service	ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:20
30-30/329 ^S	FUNCTIONAL TEST PROBES DE-ICE SYSTEM							Service	ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 30-30-20								PKG:19
30-40/262 ^S	OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM							Service	ATA:30
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 30-40-00								PKG:21
30-60/158 ^S	INSPECTION/CHECK PROPELLER DE-ICE SYSTEM							Service	ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 30-60-00, AMM 30-60-00								PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-60/159^S		OPERATIONAL TEST PROPELLER DE-ICE SYSTEM					Service		ATA:30
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 30-60-00, AMM 30-60-00, AMM 30-60-00, AMM 30-60-00						PKG:19			
300005		PROP DE-ICE CONTROLLER					Component		ATA:30
PN:4E3163-2	MOS/MSC	30-Jun-18	O/C	TSN 34					
SN:U3319	HRS	511.6		TSN 0					
WC#: 30.140	AFL	433		TSN 0					
PROC. REF: GENERIC NO REF									
300010		LPMI LINEAR ACTUATOR					Component		ATA:30
PN:9787315302	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:D69130	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300015		REGULATOR-RELIEVER ASSY					Component		ATA:30
PN:9598901012	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:N161882	HRS	0		TSN 0					
WC#: 30.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300020		L606 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE					Component		ATA:30
PN:9598901008	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:N162477	HRS	0		TSN 0					
WC#: 30.110	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
300025		L605 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE					Component		ATA:30
PN:9598901008	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:N162476	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
300035		L601 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE					Component		ATA:30
PN:9598901008	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:N170126	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300040 L600 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:9598901008	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:N170128	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								
300045 EMPENAGE PRESSURE GAGE SWITCH Component ATA:30								
PN:9738114312	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:8729	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300050 WATER SEPARATOR Component ATA:30								
PN:9598901010	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:N160074	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300055 DE-ICING SYSTEM TIMER Component ATA:30								
PN:9598901014	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:U3750	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-60-01								
300060 LEFT WINDSHIELD DE ICE CONTROLLER Component ATA:30								
PN:9728132202	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:136682	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01								
300065 RIGHT WINDSHIELD DE ICE CONTROLLER Component ATA:30								
PN:9728132202	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:136691	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01								
300090 LH HORIZ STAB DE-ICER BOOT Component ATA:30								
PN:9598901026	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:NDP2990	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 30-16-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300095 RH HORIZ STAB DE-ICER BOOT								Component ATA:30
PN:9598901027	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:NDQ0510	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 30-16-01								
300100 RH INBD-WING DE-ICER BOOT								Component ATA:30
PN:9598901038	MOS/MSC	30-Jun-18	O/C	TSN 0				
SN:NEL6850	HRS	511.6		TSN 0				
WC#: 30.040	AFL	433		TSN 0				
PROC. REF: AMM 30-14-01								
300105 RH OUTBD-WING DE-ICER BOOT								Component ATA:30
PN:9598901025	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:NDO4470	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 30-14-01								
300110 LH AOA PLATE TEMP CONTROLLER								Component ATA:30
PN:9754421418	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:UF738	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 30-30-21								
300115 LH INBD-WING DE-ICER BOOT								Component ATA:30
PN:9598901037	MOS/MSC	30-Jun-18	O/C	TSN 0				
SN:NEL3270	HRS	511.6		TSN 0				
WC#: 30.040	AFL	433		TSN 0				
PROC. REF: AMM 30-14-01								
300120 LH OUTBD-WING DE-ICER BOOT								Component ATA:30
PN:9598901024	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:NDP8870	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 30-14-01								
300125 RH AOA PLATE TEMP CONTROLLER								Component ATA:30
PN:9754421418	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:UF741	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 30-30-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300130	S601 LOWER SURF.INBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:8658	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300135	S600 UPPER SURF.INBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:8657	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300140	S602 LOWER SURF.OUTBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:8682	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300145	S603 UPPER SURF.OUTBD.WING PRESSURE,GAGE SWITCH							Component	ATA:30
PN:9738114312	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:8683	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300150	L602 EMPENAGE EJECTOR FLOW CONTROL VALVE							Component	ATA:30
PN:9598901008	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:N170136	HRS	0		TSN 0					
WC#: 30.200	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-30/421 ^S	OPERATIONAL TEST COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT LDR (IF INSTALLED)							Service	ATA:31
PN:985.99.20.136	MOS	18-Apr-23	12 (+10%/-10%)						
SN:002040633	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 31-30-01									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310070 CO-PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:9859912178	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:KMC2210-2904	HRS	0			TSN 0			
WC#: 31.180	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310075 NO. 1 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:9859912292	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:1611E267	HRS	0			TSN 0			
WC#: 31.240	AFL	0			TSN 0			
PROC. REF: AMM 31-42-00								
310077 NO. 2 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:9859912292	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:1612E316	HRS	0			TSN 0			
WC#: 31.270	AFL	0			TSN 0			
PROC. REF: AMM 31-42-00								
310080 NO. 2 RH MAU SINGLE NETWORK I/F CARD Component ATA:31								
PN:9859912231	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:1611H217	HRS	0			TSN 0			
WC#: 31.160	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310085 OVERHEAD CONTROL BASIC PANEL Component ATA:31								
PN:9728121155	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:0738	HRS	0			TSN 0			
WC#: 31.260	AFL	0			TSN 0			
PROC. REF: AMM 31-10-00								
310090 KMC2220 MF CONTOLLER Component ATA:31								
PN:9859912189	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:KMC2220-2045	HRS	0			TSN 0			
WC#: 31.170	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310095 PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:9859912178	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:KMC2210-2898	HRS	0			TSN 0			
WC#: 31.180	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310100		NO. 1 MAU ACTUATOR I/O PROCESSOR MODULE						Component	ATA:31
PN:9859912190	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1611N703	HRS	0		TSN 0					
WC#: 31.230	AFL	0		TSN 0					
PROC. REF: AMM 31-42-00									
310102		NO. 2 MAU ACTUATOR I/O PROCESSOR MODULE						Component	ATA:31
PN:9859912190	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1611N723	HRS	0		TSN 0					
WC#: 31.230	AFL	0		TSN 0					
PROC. REF: AMM 31-42-00									
310105		MODULAR AVIONICS ,12SLOT UNIT						Component	ATA:31
PN:9859912147	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:17019095	HRS	0		TSN 0					
WC#: 31.150	AFL	0		TSN 0					
PROC. REF: AMM 31-41-00									
310110		NO. 1 LH MAU SINGLE NETWORK I/F CARD						Component	ATA:31
PN:9859912231	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1611H189	HRS	0		TSN 0					
WC#: 31.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
310115		NO. 1 LH MAU POWER SUPPLY MODULE						Component	ATA:31
PN:9859912346	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16115020	HRS	0		TSN 0					
WC#: 31.220	AFL	0		TSN 0					
PROC. REF: AMM 31-42-00									
310120		NO. 2 RH MAU POWER SUPPLY MODULE						Component	ATA:31
PN:9859912346	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16115029	HRS	0		TSN 0					
WC#: 31.220	AFL	0		TSN 0					
PROC. REF: AMM 31-42-00									
310125		MAU DUAL GENERIC I/O MODULE						Component	ATA:31
PN:9859912252	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16101861	HRS	0		TSN 0					
WC#: 31.250	AFL	0		TSN 0					
PROC. REF: AMM 31-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310130 MAU CUSTOM I/O MODULE DUAL CH UNIT Component ATA:31								
PN:9859912251	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:16071797	HRS	0			TSN 0			
WC#: 31.140	AFL	0			TSN 0			
PROC. REF: AMM 31-42-00								
310135 CO-PILOT PFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:K9321022A00	MOS/MSC	11-May-21	O/C		TSN 49			
SN:1890390510	HRS	1528.1			TSN 1528.1			
WC#: 31.120	AFL	1304			TSN 1304			
PROC. REF: GENERIC NO REF								
310140 UPPER MFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:9859912103	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:1890389230	HRS	0			TSN 0			
WC#: 31.200	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310145 PILOT PFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:K9321022A00	MOS/MSC	11-May-21	O/C		TSN 49			
SN:1890389386	HRS	1528.1			TSN 1528.1			
WC#: 31.190	AFL	1304			TSN 1304			
PROC. REF: GENERIC NO REF								
310150 LOWER MFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:9859912103	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:1890391224	HRS	0			TSN 0			
WC#: 31.190	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310155 REV CTL PNL,4-POT DISPLAY Component ATA:31								
PN:9728121120	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:0101	HRS	0			TSN 0			
WC#: 31.130	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310160 NO. 1 LH AIRCRAFT PERSONALITY MODULE Component ATA:31								
PN:9858314204	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:40498892	HRS	0			TSN 0			
WC#: 31.210	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310165	NO. 2 RH AIRCRAFT PERSONALITY MODULE							Component	ATA:31
PN:9858314204	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:40498900	HRS	0			TSN 0				
WC#: 31.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310167	CC-500 CONTROL UNIT							Component	ATA:31
PN:9859912202	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:28284	HRS	0			TSN 0				
WC#: 31.280	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310170	CCD INTERNAL ELECTRICAL ASSEMBLY							Component	ATA:31
PN:9859912328	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:0049	HRS	0			TSN 0				
WC#: 31.290	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310175	REAR CENTRE CONS PNL PC-12 47/E							Component	ATA:31
PN:9728121154	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:0724	HRS	0			TSN 0				
WC#: 31.300	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310177	MIDDLE CENTRE CONS PANEL							Component	ATA:31
PN:9728121146	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:0712	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310180	COCKPIT AREA MICROPHONE							Component	ATA:31
PN:9859920137	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:001196965	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-30-02									
310185	COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT							Component	ATA:31
PN:985.99.20.136	MOS/MSC	31-Jul-20	O/C		TSN 0				
SN:002040633	HRS	1316.65			TSN 0				
	AFL	1117			TSN 0				
PROC. REF: AMM 31-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/162 ^S		LUBRICATE MAIN LANDING GEAR						Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 12-20-04								PKG:19	
32-10/163 ^S		EXAMINE MAIN LANDING GEAR LEGS						Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:19	
32-10/164 ^S		EXAMINE MAIN LANDING GEAR COMPARTMENTS						Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:19	
32-10/165 ^S		CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE						Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 32-10-00								PKG:19	
32-10/263 ^S		EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS						Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:20	
32-10/315		MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK						Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 12d	30-Apr-24	06-Jun-24	350 d (+37)		
	HRS	2263.4	2400 (+10%/-10%)		4663.4	4903.4	2362.9 (+240)		
WC#: 32.010	AFL	1964							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/345		LEFT MAIN LANDING GEAR ASSEMBLY						Component	ATA:32
PN:5321012055	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:VLG1130	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/345	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5321012056	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:VLG1130	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-10/346	LEFT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
	AFL	0	T:30000		30000		28010		
PROC. REF: AMM NO REF									
32-10/346	RIGHT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
WC#: 32.215	AFL	0	T:30000		30000		28010		
PROC. REF: AMM NO REF									
32-10/347	LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
	AFL	0	T:30000		30000		28010		
PROC. REF: GENERIC NO REF									
32-10/347	RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
WC#: 32.220	AFL	0	T:30000		30000		28010		
PROC. REF: GENERIC NO REF									
32-10/436	EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 19d	07-May-24	13-Jun-24	357 d (+37)		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00, AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/438	EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/438	EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/439	EXAMINE LEFT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00									
32-10/439	EXAMINE RIGHT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00									
32-10/440	EXAMINE LEFT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00									
32-10/440	EXAMINE RIGHT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00									
32-10/441	EXAMINE LEFT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	25-Apr-17	120		25-Apr-27		1440 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/441	EXAMINE RIGHT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	25-Apr-17	120		25-Apr-27		1440 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									
32-10/80	LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS							Service	ATA:32
PN:40-424	MOS/MSC	18-Apr-23	12 (+1m/-1m) / T/C	Adj 1d	19-Apr-24	19-May-24	339 d (+30)		
SN:3653/3635	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 12-20-06									
32-10/80	LUBRICATE NOSE WHEEL BEARINGS							Service	ATA:32
PN:40-423	MOS/MSC	18-Apr-23	12 (+1m/-1m) / T/C	Adj 23d	11-May-24	11-Jun-24	361 d (+31)		
SN:1646	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 12-20-06									
32-10/80	LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS							Service	ATA:32
PN:40-424	MOS/MSC	18-Apr-23	12 (+1m/-1m) / T/C	Adj 23d	11-May-24	11-Jun-24	361 d (+31)		
SN:3665/3647	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 12-20-06									
32-20/166 ^S	CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 32-20-00									
32-20/167 ^S	LUBRICATE NOSE LANDING GEAR							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 12-20-04									

PKG:19

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-20/168 ^S	EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.13-4) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:19	
32-20/169 ^S	EXAMINE NOSE LANDING GEAR COMPARTMENT							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:19	
32-20/265 ^S	EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:20	
32-20/335	NOSE LANDING GEAR TORQUE TUBE							Component	ATA:32
PN:PN	MOS	25-Apr-17	120	TSN 0	25-Apr-27		1440 d	LIFE LIMIT	
SN:UNKNOWN	HRS	0	11000	TSN 0	11000		8699.5		
WC#: 32.190	AFL	0	15000	TSN 0	15000		13010		
	PROC. REF: GENERIC NO REF								
32-20/338	INSPECTION/CHECK NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK							Service	ATA:32
PN:PN	MOS/MS	25-Apr-17	N/A					N/A BY PART NUMBER	
SN:UNKNOWN	HRS	0							
WC#: 32.195	AFL	0							
	PROC. REF: AMM 32-20-06								
32-20/403	NOSE LANDING GEAR - OVERHAUL							Component	ATA:32
PN:PN	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	T:25000 (+500/-500)	TSN 0	25000	25500	22699.5 (+500)		
WC#: 32.200	AFL	0	T:30000 (+500/-500)	TSN 0	30000	30500	28010 (+500)		
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-20/416	NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK							Component	ATA:32
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22699.5		
WC#: 32.225	AFL	0	30000	TSN 0	30000		28010		
PROC. REF: AMM 32-20-05									
32-30/170	FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM							Service	ATA:32
	MOS/MSC	07-May-18	N/A						
	HRS	390.28							
	AFL	329							
PROC. REF: AMM 32-30-00									
32-30/423	LEFT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR							Component	ATA:32
PN:9595601823	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:535	HRS	0		TSN 0					
	AFL	0	30000	TSN 0	30000		28010		
PROC. REF: AMM 32-30-01, AMM 32-30-02									
32-30/423	NOSE LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR							Component	ATA:32
PN:9595601824	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:270	HRS	0		TSN 0					
	AFL	0	30000	TSN 0	30000		28010		
PROC. REF: AMM 32-30-01, AMM 32-30-02									
32-30/423	RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR							Component	ATA:32
PN:9595601823	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:538	HRS	0		TSN 0					
	AFL	0	30000	TSN 0	30000		28010		
PROC. REF: AMM 32-30-01, AMM 32-30-02									
32-30/424	OPERATIONAL TEST EMERGENCY GEAR EXTENSION SYSTEM - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)		
	HRS	2263.4	2000		4263.4		1962.9		
	AFL	1964							
PROC. REF: AMM 32-30-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/425 ^S	EXAMINE ELECTRO MECHANICAL LANDING GEAR EXTENSION AND RETRACTION MECHNAISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:19	
32-30/426	FUNCTION TEST TIME DELAY RELAYS AND POWER CONTACTORS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)		
	HRS	2263.4	2000		4263.4		1962.9		
	AFL	1964							
	PROC. REF: AMM 32-30-08								
32-30/429	CHECK MAIN LANDING GEAR SPRING STRUT - LOOSEN AND MOVE THE SPRING STRUT COVER TO EXAMINE THE SPRINGS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)		
	HRS	2263.4	2000		4263.4		1962.9		
	AFL	1964							
	PROC. REF: AMM 32-10-06								
32-30/435	DISCARD LEFT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10010 (+500)		
	PROC. REF: AMM 32-30-01, AMM 32-30-02								
32-30/435	DISCARD NOSE LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10010 (+500)		
	PROC. REF: AMM 32-30-01, AMM 32-30-02								
32-30/435	DISCARD RIGHT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10010 (+500)		
	PROC. REF: AMM 32-30-01, AMM 32-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/442	EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-30/442	EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Apr-23	72		18-Apr-29		2164 d		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-30/518	LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	25-Apr-17	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	25-Apr-17	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
32-40/171 ^S	EXAMINE MAINWHEELS. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
								PKG:19	
32-40/172 ^S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 12-10-04									
								PKG:17	
32-40/173 ^S	EXAMINE NOSEWHEEL. ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
								PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40/174^S EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE Service ATA:32								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
				PROC. REF: AMM 12-10-04				PKG:17
32-40/175^S EXAMINE BRAKE SYSTEM - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING. Service ATA:32								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
				PROC. REF: GENERIC NO REF				PKG:17
32-40/176^S CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY Service ATA:32								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
				PROC. REF: AMM 12-10-02				PKG:17
32-50/404 EXAMINE - NLG STEERING MECHANISM Service ATA:32								
	MOS	25-Apr-17						
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)	
WC#: 32.230	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)	
				PROC. REF: AMM 32-50-00				
320005 PILOT LH BRAKE MASTER CYLINDER Component ATA:32								
PN:9594751131	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:6914	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
				PROC. REF: AMM 32-40-04				
320010 PILOT RH BRAKE MASTER CYLINDER Component ATA:32								
PN:9594751131	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:6925	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
				PROC. REF: AMM 32-40-04				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320015		PARK BRAKE VALVE						Component	ATA:32
PN:9594751121	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2997	HRS	0		TSN 0					
WC#: 32.140	AFL	0		TSN 0					
PROC. REF: AMM 32-40-05									
320020		NOSE WHEEL						Component	ATA:32
PN:40-423	MOS/MSC	26-Apr-23	O/C						
SN:1646	HRS	2272							
WC#: 32.150	AFL	1969							
PROC. REF: AMM 32-40-02									
320021		NOSE LANDING GEAR TIRE						Component	ATA:32
PN:021-327-0	MOS/MSC	01-Jul-22	O/C						
SN:9064W00266	HRS	1938.9							
WC#: 32.155	AFL	1685							
PROC. REF: AMM 32-40-02									
320022		LEFT MAIN LANDING GEAR WHEEL						Component	ATA:32
PN:40-424	MOS/MSC	26-Apr-23	O/C						
SN:3653/3635	HRS	2272							
WC#: 32.160	AFL	1969							
PROC. REF: AMM 32-40-01									
320023		LEFT MAIN LANDING GEAR TIRE						Component	ATA:32
PN:025-350-0	MOS/MSC	01-Jul-22	O/C						
SN:8162S00240	HRS	1938.9							
WC#: 32.160	AFL	1685							
PROC. REF: AMM 32-40-01									
320024		RIGHT MAIN LANDING GEAR WHEEL						Component	ATA:32
PN:40-424	MOS/MSC	26-Apr-23	O/C						
SN:3665/3647	HRS	2272							
WC#: 32.165	AFL	1969							
PROC. REF: AMM 32-40-01									
320025		SHIMMY DAMPER ASSY						Component	ATA:32
PN:5322012215	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:VLG880	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320026		RIGHT MAIN LANDING GEAR TIRE					Component	ATA:32	
PN:025-350	MOS/MSC	01-Jul-22	O/C						
SN:9128S00225	HRS	1938.9							
WC#: 32.165	AFL	1685							
PROC. REF: AMM 32-40-01									
320030		COPILOT LH BRAKE MASTER CYLINDER					Component	ATA:32	
PN:9594751131	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:6926	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320035		COPILOT RH BRAKE MASTER CYLINDER					Component	ATA:32	
PN:9594751131	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:6928	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320040		NOSE FOLDING STRUT SPRING PACK ASSY					Component	ATA:32	
PN:5322012305	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:VLG086	HRS	0		TSN 0					
WC#: 32.080	AFL	0		TSN 0					
PROC. REF: AMM 32-50-02									
320045		NOSE LANDING GEAR STRUT ASSY					Component	ATA:32	
PN:5322012044	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:VLG1125	HRS	0		TSN 0					
WC#: 32.090	AFL	0		TSN 0					
PROC. REF: AMM 32-50-02									
320055		RIGHT SHOCK ABSORBER ASSY					Component	ATA:32	
PN:5321012230	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:VLG1454	HRS	0		TSN 0					
WC#: 32.060	AFL	0		TSN 0					
PROC. REF: AMM 32-10-03, AMM 32-10-03									
320060		LH BRAKE ASSY					Component	ATA:32	
PN:9595601517	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3417	HRS	0		TSN 0					
WC#: 32.050	AFL	0		TSN 0					
PROC. REF: AMM 32-40-03, AMM 32-40-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320065		INNER LEFT WHEEL & COVER ASSY					Component	ATA:32	
PN:9595601503	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3635	HRS	0		TSN 0					
WC#: 32.110	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01									
320066		OUTER LEFT WHEEL & COVER ASSY					Component	ATA:32	
PN:9595601503	MOS/MSC	30-Jun-18	O/C						
SN:3653	HRS	511.6							
WC#: 32.205	AFL	433							
PROC. REF: AMM 32-40-01									
320080		LEFT SHOCK ABSORBER ASSY					Component	ATA:32	
PN:5321012230	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:VLG1455	HRS	0		TSN 0					
WC#: 32.060	AFL	0		TSN 0					
PROC. REF: AMM 32-10-03, AMM 32-10-03									
320085		RH BRAKE ASSY					Component	ATA:32	
PN:9595601517	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3419	HRS	0		TSN 0					
WC#: 32.050	AFL	0		TSN 0					
PROC. REF: AMM 32-40-03, AMM 32-40-03									
320090		INNER RIGHT WHEEL & COVER ASSY					Component	ATA:32	
PN:9595601503	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3647	HRS	0		TSN 0					
WC#: 32.110	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01									
320091		OUTER RIGHT WHEEL & COVER ASSY					Component	ATA:32	
PN:9595601503	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3665	HRS	0		TSN 0					
WC#: 32.210	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01									
320104		NOSE LANDING GEAR 72A74-01 "UP" PROXIMITY SWITCH					Component	ATA:32	
PN:9733033116	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:6068	HRS	0		TSN 0					
WC#: 32.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320105	MAIN LANDING GEAR 72A74-01 RH "UP" PROXIMITY SWITCH							Component	ATA:32
PN:9733033116	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:6071	HRS	0		TSN 0					
WC#: 32.175	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320110	MAIN LANDING GEAR 72A74-01 RH "WOW" PROXIMITY SWITCH							Component	ATA:32
PN:9733033116	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:6063	HRS	0		TSN 0					
WC#: 32.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320115	NOSE LANDING GEAR 72A74-01 "DOWN" PROXIMITY SWITCH							Component	ATA:32
PN:9733033116	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:6064	HRS	0		TSN 0					
WC#: 32.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320140	INTERMEDIATE CABLE ASSY							Component	ATA:32
PN:9595601816	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:00272	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10									
320140	MAIN GEAR CABLE ASSY							Component	ATA:32
PN:9595601814	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:00298	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10									
320140	NOSE GEAR CABLE ASSY							Component	ATA:32
PN:9595601815	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:00271	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10									
320145	EXTENSION GEAR EMERGENCY HANDLE							Component	ATA:32
PN:9595601838	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:00260	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320150		FRONT HIGH CURRENT RELAY					Component	ATA:32	
PN:9740926112	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:639	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320150		REAR HIGH CURRENT RELAY					Component	ATA:32	
PN:9740926112	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:635	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320155		LEFT HAND SPRING PACK ASSY					Component	ATA:32	
PN:5323412120	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:474	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320155		RIGHT HAND SPRING PACK ASSY					Component	ATA:32	
PN:5323412120	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:473	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320160		MLG L/H WOW NLG UP SWITCH ASSY					Component	ATA:32	
PN:5326921026	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2259	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320160		MLG R/H WOW NLG UP SWITCH ASSY					Component	ATA:32	
PN:5326921026	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2317	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 33 - LIGHTS									
33-40/177 ^S		OPERATIONAL TEST EXTERIOR LIGHTING					Service	ATA:33	
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 33-40-00									

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-41/178 ^S		EXAMINE LANDING LIGHTS							Service ATA:33
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
						PROC. REF: AMM 33-41-01		PKG:17	
33-42/179 ^S		EXAMINE TAXI LIGHTS							Service ATA:33
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
						PROC. REF: AMM 33-42-01		PKG:17	
33-43/180 ^S		EXAMINE NAVIGATION AND STROBE LIGHTS							Service ATA:33
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
						PROC. REF: GENERIC NO REF		PKG:17	
33-44/181 ^S		EXAMINE RECOGNITION LIGHTS (IF INSTALLED)							Service ATA:33
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
						PROC. REF: AMM 33-44-00		PKG:17	
33-46/182 ^S		EXAMINE BEACON LIGHTS (IF INSTALLED)							Service ATA:33
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
						PROC. REF: GENERIC NO REF		PKG:17	
330005		DIM UNIT							Component ATA:33
PN:9750215205	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:136506	HRS	0			TSN 0				
WC#: 33.080	AFL	0			TSN 0				
						PROC. REF: AMM 33-10-04			
330010		DE-ICE LIGHT ASSY							Component ATA:33
PN:9728767111	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:3620889	HRS	0			TSN 0				
WC#: 33.010	AFL	0			TSN 0				
						PROC. REF: GENERIC NO REF			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330025 TOP SIDE ANTI COLLISION RED LIGHT ASSY								Component ATA:33
PN:03-3101-0001	MOS/MSC	11-Nov-20	O/C		TSN 0			
SN:209053-7-19	HRS	1435.73			TSN 0			
WC#: 33.040	AFL	1220			TSN 0			
PROC. REF: AMM 33-46-00								
330030 BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY								Component ATA:33
PN:9728787347	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:182885-2-1	HRS	0			TSN 0			
WC#: 33.040	AFL	0			TSN 0			
PROC. REF: AMM 33-46-00								
330040 LEFT HAND WING TIP WARNING LIGHT ASSEMBLY								Component ATA:33
PN:9728787344	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:180395-7-17	HRS	0			TSN 0			
WC#: 33.030	AFL	0			TSN 0			
PROC. REF: AMM 33-43-02								
330045 RH WING POWER SUPPLY UNIT								Component ATA:33
PN:9728787179	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:180395-6-18	HRS	0			TSN 0			
WC#: 33.070	AFL	0			TSN 0			
PROC. REF: AMM 33-43-03								
330050 RIGHT HAND WING TIP WARNING LIGHT ASSEMBLY								Component ATA:33
PN:9728787345	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:180395-8-13	HRS	0			TSN 0			
WC#: 33.030	AFL	0			TSN 0			
PROC. REF: AMM 33-43-02								
330070 NOSE LANDING GEAR TAXI LIGHT								Component ATA:33
PN:9728769421	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:176285-2-6	HRS	0			TSN 0			
WC#: 33.090	AFL	0			TSN 0			
PROC. REF: AMM 33-42-01								
330075 L/H 1X0005287-10 LANDING LIGHT								Component ATA:33
PN:9728769427	MOS/MSC	25-Apr-17	O/C		TSN 0			
SN:186617-2-1	HRS	0			TSN 0			
WC#: 33.090	AFL	0			TSN 0			
PROC. REF: AMM 33-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
330076	R/H 1X0005287-10 LANDING LIGHT							Component	ATA:33
PN:9728769427	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:186617-6-8	HRS	0		TSN 0					
WC#: 33.110	AFL	0		TSN 0					
PROC. REF: AMM 33-41-01									
330085	LEFT HAND RECOGNITION LED LIGHT							Component	ATA:33
PN:9728769428	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:186617-5-8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-44-00									
330085	RIGHT HAND RECOGNITION LED LIGHT							Component	ATA:33
PN:9728769428	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:186617-5-28	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-44-00									
ATA 34 - NAVIGATION									
34-00/183 ^S	EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS							Service	ATA:34
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:21									
34-00/184 ^S	EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT							Service	ATA:34
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:17									
34-11/185 ^S	EXAMINE PITOT TUBE							Service	ATA:34
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11/186 ^S	EXAMINE STATIC PORTS							Service	ATA:34
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:17	
34-11/268 ^S	DRAIN PITOT AND STATIC SYSTEM							Service	ATA:34
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 34-11-00								PKG:20	
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT							Service	ATA:34
	MOS	18-Apr-23	24		18-Apr-25		703 d		
	HRS	2263.4							
WC#: 34.565	AFL	1964							
PROC. REF: AMM 34-11-12									
34-11/82	LEAK CHECK STATIC SYSTEM							Service	ATA:34
	MOS	18-Apr-23	24		18-Apr-25		703 d		
	HRS	2263.4							
WC#: 34.010	AFL	1964							
PROC. REF: AMM 34-11-00									
34-21/84	SWING CHECK STANDBY MAGNETIC COMPASS (IF INSTALLED)							Service	ATA:34
	MOS/MSC	30-Apr-17	N/A						
	HRS								
WC#: 34.560	AFL								
PROC. REF: AMM 34-21-00									
34-25/344	FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION							Service	ATA:34
	MOS	18-Apr-23	24 (+10%/-10%)	Adj 12d	30-Apr-25	12-Jul-25	715 d (+73)		
	HRS	2263.4							
WC#: 34.570	AFL	1964							
PROC. REF: AMM 34-14-00									
34-26/484	CHECK SWING ESIS MAGNETIC HEADING REFERENCE SYSTEM (IF INSTALLED)							Service	ATA:34
	MOS	18-Apr-23	24 (+10%/-10%)	Adj 1d	19-Apr-25	01-Jul-25	704 d (+73)		
	HRS	2263.4							
	AFL	1964							
PROC. REF: AMM 34-26-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-54/86	FUNCTIONAL TEST TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS)							Service	ATA:34
	MOS	18-Apr-23	24		18-Apr-25		703 d		
	HRS	2263.4							
WC#: 34.050	AFL	1964							
PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10									
340010	DME/IFF ANTENNA							Component	ATA:34
PN:9848110240	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:261-124101	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02									
340020	MARKER ANTENNA							Component	ATA:34
PN:9848110260	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:101-8420	HRS	0		TSN 0					
WC#: 34.100	AFL	0		TSN 0					
PROC. REF: AMM 34-32-01									
340055	WITH HARM FILTER,KN63 DME							Component	ATA:34
PN:066-1070-01	MOS/MSC	24-Feb-22	O/C						
SN:1765	HRS	1804.4							
WC#: 34.200	AFL	1575							
PROC. REF: AMM 34-52-01									
340065	WX-RADAR RT UNIT							Component	ATA:34
PN:9859911507	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:15600	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 34-41-02									
340075	WX,VERTICAL ANTENNA							Component	ATA:34
PN:9859911504	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:8380	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 34-41-12									
340080	TRANSPONDER DME/IFF ANTENNA							Component	ATA:34
PN:9848110240	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:261-124103	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 34-54-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340085	ADF,KA44B ANTENNA							Component	ATA:34
PN:9859911167	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KA44B-A94781	HRS	0			TSN 0				
WC#: 34.070	AFL	0			TSN 0				
PROC. REF: AMM 34-53-02									
340100	FRONT KA92 ANTENNA							Component	ATA:34
PN:9859911200	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:49310627	HRS	0			TSN 0				
WC#: 34.090	AFL	0			TSN 0				
PROC. REF: AMM 34-57-02									
340101	REAR KA92 GPS ANTENNA							Component	ATA:34
PN:9859911200	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:49310626	HRS	0			TSN 0				
WC#: 34.090	AFL	0			TSN 0				
PROC. REF: AMM 34-57-02									
340131	KCM 805 CONFIGURATION MODULE							Component	ATA:34
PN:9859911884	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:19715	HRS	0			TSN 0				
WC#: 34.410	AFL	0			TSN 0				
PROC. REF: AMM 34-25-03									
340140	RADOME							Component	ATA:34
PN:985.79.00.005	MOS/MSC	28-Apr-17	O/C						
SN:574	HRS	3.9							
WC#: 34.420	AFL	5							
PROC. REF: AMM 34-41-05, AMM 34-41-02									
340145	ANTENNA,VHF NAV COUPLER							Component	ATA:34
PN:9848110412	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:8866	HRS	0			TSN 0				
WC#: 34.160	AFL	0			TSN 0				
PROC. REF: AMM 23-11-03									
340155	LEFT SIDE RAD ALT,S67-2002 ANTENNA							Component	ATA:34
PN:9848129101	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:543-81482	HRS	0			TSN 0				
WC#: 34.110	AFL	0			TSN 0				
PROC. REF: AMM 34-42-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340160		RIGHT SIDE RAD ALT,S67-2002 ANTENNA						Component	ATA:34
PN:9848129101	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:543-81485	HRS	0			TSN 0				
WC#: 34.110	AFL	0			TSN 0				
PROC. REF: AMM 34-42-02									
340161		BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA						Component	ATA:34
PN:9859911869	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:31079	HRS	0			TSN 0				
WC#: 34.430	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340162		TOP DIRECTIONAL KA815 - IHAS ANTENNA						Component	ATA:34
PN:9859911869	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:30854	HRS	0			TSN 0				
WC#: 34.430	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340170		ALTIMETER,RADAR,KRA405B TRANSMITTER						Component	ATA:34
PN:9859911524	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KRA405B-18666	HRS	0			TSN 0				
WC#: 34.310	AFL	0			TSN 0				
PROC. REF: AMM 34-42-01									
340220		STORMSCOPE WX-500 PROCESSOR						Component	ATA:34
PN:9859918006	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:102693	HRS	0			TSN 0				
WC#: 34.270	AFL	0			TSN 0				
PROC. REF: AMM 34-41-31									
340235		AOA SENSOR RH UNIT						Component	ATA:34
PN:9754421424	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1910	HRS	0			TSN 0				
WC#: 34.330	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340255		AOA SENSOR LH UNIT						Component	ATA:34
PN:9754421423	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1820	HRS	0			TSN 0				
WC#: 34.330	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340265		DME/IFF--ATC DIV. ANTENNA						Component	ATA:34
PN:9848110240	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:261-124102	HRS	0			TSN 0				
WC#: 34.500	AFL	0			TSN 0				
PROC. REF: AMM 34-54-03									
340280		OUTBOARD KMG 7010 MAGNETOMETER						Component	ATA:34
PN:9859912114	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KMG7010-4714	HRS	0			TSN 0				
WC#: 34.520	AFL	0			TSN 0				
PROC. REF: AMM 34-25-02, AMM 34-25-02									
340285		INBOARD KMG 7010 MAGNETOMETER						Component	ATA:34
PN:9859912114	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KMG7010-4693	HRS	0			TSN 0				
WC#: 34.520	AFL	0			TSN 0				
PROC. REF: AMM 34-25-02, AMM 34-25-02									
340290		KMH920 TAWS B,TCAS 1 UNIT						Component	ATA:34
PN:9859911887	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KMH920-B1943	HRS	0			TSN 0				
WC#: 34.545	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340310		NO. 2 KXP 2290 MODE S TRANSPONDER						Component	ATA:34
PN:9859912269	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KXP2290A-3527	HRS	0			TSN 0				
WC#: 34.540	AFL	0			TSN 0				
PROC. REF: AMM 34-54-01									
340315		NO. 1 KXP 2290 MODE S TRANSPONDER						Component	ATA:34
PN:9859912269	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KXP2290A-3522	HRS	0			TSN 0				
WC#: 34.540	AFL	0			TSN 0				
PROC. REF: AMM 34-54-01									
340320		LH OAT SENSOR						Component	ATA:34
PN:5341312025	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:06073	HRS	0			TSN 0				
WC#: 34.525	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340325	RH OAT SENSOR							Component	ATA:34
PN:5341312025	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:06070	HRS	0			TSN 0				
WC#: 34.525	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340330	KSG 7200 DUAL CHANNEL AD AHRS UNIT							Component	ATA:34
PN:9859912272	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KSG7200-B2894	HRS	0			TSN 0				
WC#: 34.505	AFL	0			TSN 0				
PROC. REF: AMM 34-25-01									
340355	LH NAV/WHITE ANTENNA							Component	ATA:34
PN:9848110280	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:168-11732	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340357	RH NAV/WHITE ANTENNA							Component	ATA:34
PN:9848110280	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:168-11733	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341035	NO. 1 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:9859912253	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KGS200-2934	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-01									
341037	NO. 2 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:9859912253	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KGS200-2928	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-01									
341039	MAG-3100 MAGNETOMETER							Component	ATA:34
PN:9859003058	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:80851	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-26-45, AMM 34-26-45									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341045	ESI-1000 STANDBY SYSTEM							Component	ATA:34
PN:9759611247	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:3235	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 35 - OXYGEN									
35-10/187 ^S	CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) - MAKE SURE THAT IT IS NOT DAMAGE							Service	ATA:35
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:17									
35-10/188 ^S	CHECK OXYGEN SYSTEM CONTENTS							Service	ATA:35
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:16									
35-10/269 ^S	EXAMINE OXYGEN PIPELINES AND EQUIPMENT							Service	ATA:35
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:20									
35-10/458 ^S	OPERATIONAL TEST CREW OXYGEN SYSTEM							Service	ATA:35
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 35-00-00, AMM 35-00-00									
PKG:20									
35-10/6	REAR FUSELAGE OXYGEN CYLINDER							Component	ATA:35
PN:895-06077	MOS	11-May-21	180		01-Mar-35		4307 d	AIRWORTHINESS	
SN:C20030957	HRS	1528.1		TSN 0					
	AFL	1304		TSN 0					
		Manufacture Date:: 01-Mar-20	PROC. REF: AMM 35-10-01						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10/7 HYDROSTATIC TEST REAR FUSELAGE OXYGEN CYLINDER Service ATA:35								
PN:895-06077	MOS	03-Apr-20	60		03-Apr-25		688 d	AIRWORTHINESS
SN:C20030957	HRS							
	AFL							
PROC. REF: GENERIC NO REF								
35-20/452 OPERATIONAL TEST PASSENGER OXYGEN (DROP-DOWN MASK) SYSTEM (IF INSTALLED) Service ATA:35								
	MOS/MSC	25-Apr-17	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 35-00-00								
35-20/459 OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED) Service ATA:35								
	MOS	30-Jun-22						
	HRS	1938.9	600 (+10%/-10%)		2538.9	2598.9	238.4 (+60)	
	AFL	1685						
PROC. REF: AMM 35-00-00								
35-20/87 INSPECTION/CHECK PASSENGER OXYGEN MASKS Service ATA:35								
	MOS	18-Apr-23	36 (+10%/-10%)	Adj 12d	30-Apr-26	18-Aug-26	1080 d (+110)	
	HRS	2263.4						
WC#: 35.010	AFL	1964						
PROC. REF: AMM 35-20-00								
350020 PILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:9571201210	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:B117850	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
350025 COPILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:9571201210	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:B118546	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
350030 PRESSURE,GAGE,OXYGEN SWITCH Component ATA:35								
PN:9738114401	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:1544	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350035	CONTR,3-POSITION,37071-03 VALVE							Component	ATA:35
PN:9633211102	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:0517	HRS	0			TSN 0				
WC#: 35.030	AFL	0			TSN 0				
PROC. REF: AMM 35-20-04									
350050	OXYGEN GAGE ASSY							Component	ATA:35
PN:5351212085	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:60267	HRS	0			TSN 0				
WC#: 35.060	AFL	0			TSN 0				
PROC. REF: AMM 35-20-05									
350067	OXYGEN SHUT-OFF VALVE							Component	ATA:35
PN:9571212232	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:000137742	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 35-20-06									
350071	NO. 1 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 35-20-03									
350072	NO. 2 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 35-20-03									
350073	NO. 3 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 35-20-03									
350074	NO. 4 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 35-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350075	NO. 5 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-03									
350076	NO. 6 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-03									
350077	NO. 7 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-03									
350078	NO. 8 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-03									
350079	NO. 9 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-03									
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS-EXPORT FAULT HISTORY - SEND TO LOCAL STORAGE - DOWNLOAD							Service	ATA:45
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 45-45-00									
PKG:20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 46 - INFORMATION SYSTEMS									
46-26/320 ^S	OPERATIONAL TEST PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES							Service	ATA:46
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 46-30-05, AMM 46-30-06			PKG:17	
46-26/321 ^S	OPERATIONAL TEST ADAHRS SENSOR SOURCE SELECT SWITCHES							Service	ATA:46
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
					PROC. REF: AMM 46-30-02			PKG:17	
460105	WIRELESS DATA LOADING DEVICE							Component	ATA:46
PN:9759632456	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:2785	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
ATA 52 - DOORS									
52-10/189 ^S	EXAMINE PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
					PROC. REF: GENERIC NO REF			PKG:19	
52-10/190 ^S	EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
					PROC. REF: GENERIC NO REF			PKG:19	
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN - MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH P10-001 AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
					PROC. REF: GENERIC NO REF			PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/192 ^S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:19	
52-10/271 ^S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:20	
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service	ATA:52
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 52.070	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 52-10-00									
52-10/405	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR PIANO HINGE							Service	ATA:52
	MOS	25-Apr-17							
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 52.100	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: AMM 52-00-01									
52-10/406	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR SKIN							Service	ATA:52
	MOS	25-Apr-17							
	HRS	0	T:25000 (+500/-500)		25000	25500	22699.5 (+500)		
WC#: 52.110	AFL	0	T:30000 (+500/-500)		30000	30500	28010 (+500)		
PROC. REF: AMM 52-10-01									
52-10/472	EDDY CURRENT INSPECTION PASSENGER / CREW DOOR SHOOT BOLT FITTING (ONLY IF SB 52-007 PART C IS COMPLIED WITH)							Service	ATA:52
	MOS/MSC	25-Apr-17	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 52-10-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service	ATA:52
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 52.010	AFL	1304							
PROC. REF: AMM 52-10-00, AMM 25-21-03, AMM 25-22-03									
52-20/272 ^S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
52-20/273 ^S	EXAMINE EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service	ATA:52
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 52.080	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 52-20-00									
52-30/193 ^S	EXAMINE CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
52-30/194 ^S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM.							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 52-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/195 ^S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:19	
52-30/274 ^S	EXAMINE CARGO DOOR							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF								PKG:20	
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service	ATA:52
	MOS	25-Apr-17					AIRWORTHINESS		
	HRS	0	T:32500		32500		30199.5		
WC#: 52.090	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 52-30-00									
52-30/407	EDDY CURRENT INSPECTION - CARGO DOOR PIANO HINGE							Service	ATA:52
	MOS	25-Apr-17							
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 52.120	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: AMM 52-30-00									
52-30/408	EDDY CURRENT INSPECTION - CARGO DOOR SKIN							Service	ATA:52
	MOS	25-Apr-17							
	HRS	0	T:25000 (+500/-500)		25000	25500	22699.5 (+500)		
WC#: 52.130	AFL	0	T:30000 (+500/-500)		30000	30500	28010 (+500)		
PROC. REF: AMM 52-30-01									
52-30/8	CARGO DOOR LOWER LUG (QTY 3) FITTINGS							Component	ATA:52
PN:PN	MOS	25-Apr-17			TSN 0		AIRWORTHINESS		
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		10699.5		
WC#: 52.020	AFL	0	17000	TSN 0	17000		15010		
PROC. REF: AMM 52-30-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/89	EXAMINE CARGO DOOR WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service	ATA:52
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 52.030	AFL	1304							
PROC. REF: AMM 52-30-00, AMM 25-21-03, AMM 25-22-03									
52-70/275 ^S	OPERATIONAL TEST DOOR WARNING SYSTEM							Service	ATA:52
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 52-70-00									
520005	PASSENGER DOOR							Component	ATA:52
PN:5520512043	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1401M	HRS	0		TSN 0					
WC#: 52.050	AFL	0		TSN 0					
PROC. REF: AMM 52-10-01, AMM 52-10-01									
520010	FREIGHT OF 10SERIE DOOR ASSY							Component	ATA:52
PN:5520512044	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1400M	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: AMM 52-30-01									
520015	EMERGENCY 6 SERIE EXIT							Component	ATA:52
PN:5520512038	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1400M	HRS	0		TSN 0					
WC#: 52.060	AFL	0		TSN 0					
PROC. REF: AMM 52-20-01									
ATA 53 - FUSELAGE									
53-00/196 ^S	EXAMINE FUSELAGE EXTERNAL SURFACE. FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.							Service	ATA:53
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
PKG:17									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/276 ^S	EXAMINE REAR PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:20
53-00/277 ^S	EXAMINE FLOOR TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service	ATA:53
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:20
53-00/278 ^S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service	ATA:53
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:21
53-00/279 ^S	EXAMINE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:21
53-00/280 ^S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF								PKG:20
53-00/324	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service	ATA:53
	MOS/MSC	25-Apr-17	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF								
53-00/337 ^S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service	ATA:53
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 53-20-02								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/351	UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 53.100	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 53-10-06									
53-00/352	FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 53.110	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 53-10-00									
53-00/353	FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 53.120	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 53-20-00									
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 53.130	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 53-30-00									
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 53.140	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 53-00-00									
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:28300		28300		25999.5		
WC#: 53.150	AFL	0	T:37000		37000		35010		
PROC. REF: AMM 53-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 53.160	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 53-00-00									
53-00/359	FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:30000		30000		27699.5		
WC#: 53.180	AFL	0	T:39000		39000		37010		
PROC. REF: AMM 57-00-03									
53-00/360	FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:30000		30000		27699.5		
WC#: 53.190	AFL	0	T:39000		39000		37010		
PROC. REF: AMM 53-20-02									
53-00/361	FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 53.200	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
53-00/419	EDDY CURRENT INSPECTION - FRAME 40							Service	ATA:53
	MOS	25-Apr-17							
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 53.210	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE							Service	ATA:53
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	20000		20000		17699.5		
WC#: 53.010	AFL	0	27000		27000		25010		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/90	EXAMINE FRONT PRESSURE BULKHEAD (WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED)							Service	ATA:53
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 53.030	AFL	1304							
PROC. REF: GENERIC NO REF									
53-00/91	EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)							Service	ATA:53
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 53.040	AFL	1304							
PROC. REF: GENERIC NO REF									
53-00/92	EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED							Service	ATA:53
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 53.070	AFL	1304							
PROC. REF: GENERIC NO REF									
53-00/93	EXAMINE STRUCTURE AROUND WINDOWS							Service	ATA:53
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 53.050	AFL	1304							
PROC. REF: GENERIC NO REF									
53-00/94	EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES							Service	ATA:53
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 53.060	AFL	1304							
PROC. REF: GENERIC NO REF									
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA							Service	ATA:53
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 7d	25-Apr-24	31-May-24	345 d (+36)		
	HRS	2263.4							
WC#: 34.575	AFL	1964							
PROC. REF: AMM 53-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530070	FUSELAGE AB 1003 TEIL1							Component	ATA:53
PN:5530512029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1400M	HRS	0		TSN 0					
WC#: 53.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 55 - STABILIZERS									
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	20000		20000		17699.5		
	AFL	0	27000		27000		25010		
PROC. REF: GENERIC NO REF									
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service	ATA:55
	MOS/MSC	25-Apr-17	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
55-10/197 ^S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service	ATA:55
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
55-10/319 ^S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service	ATA:55
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 55-00-00									
55-10/415	HORIZONTAL STABILIZER							Component	ATA:55
PN:PN	MOS	25-Apr-17		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		22699.5		
WC#: 55.090	AFL	0	30000	TSN 0	30000		28010		
PROC. REF: AMM 55-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10/638	HORIZONTAL STABBILIZER - EXAMINE WITH BOROSCOPE							Service	ATA:55
	MOS	25-Apr-17	T:240		25-Apr-37		5093 d		
	HRS	0	T:10000		10000		7699.5		
	AFL	0							
PROC. REF: AMM 55-10-01									
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	25-Apr-17	72		29-Sep-23 (M)		136 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 55-00-00									
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service	ATA:55
	MOS	25-Apr-17	120		25-Apr-27		1440 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 55-00-00									
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service	ATA:55
	MOS	11-May-21	48 (+10%/-10%)	Adj -16d	25-Apr-25	18-Sep-25	710 d (+146)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
	AFL	1304							
PROC. REF: GENERIC NO REF									
55-20/362	EXAMINE LEFT WING ELEVATOR							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.100	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-20-00									
55-20/367	EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.110	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/368	EDDY CURRENT INSPECTION - LEFT WING ELEVATOR HINGES							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.120	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-20-01									
55-30/198 ^S	EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS.							Service	ATA:55
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 55-00-01									
55-30/281 ^S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service	ATA:55
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									
55-30/369	EXAMINE - VERTICAL STABILIZER							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.130	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-30-00									
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.140	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.150	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.160	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-30-02									
55-30/420	EDDY CURRENT INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service	ATA:55
	MOS	25-Apr-17							
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 55.190	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: AMM 55-30-03									
55-40/373	EXAMINE - RUDDER							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.170	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-40-00									
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service	ATA:55
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 55.180	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 55-40-05									
55-40/410	EXAMINE - RUDDER TRIM TAB							Service	ATA:55
	MOS	25-Apr-17							
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 55.200	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: AMM 55-40-04									
ATA 56 - WINDOWS									
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE IF CRACKED							Service	ATA:56
	MOS/MSC	25-Apr-17	A/R					AIRWORTHINESS	
	HRS	0							
WC#: 56.020	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11/13	COCKPIT INNER SIDE, DV WINDOWS AND CABIN WINDOWS- REPLACE IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED							Service	ATA:56
	MOS/MSC	25-Apr-17	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 56-00-00									
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:9598110109	MOS/MSC	25-Apr-17	A/R						
SN:16068H4199	HRS	0							
	AFL	0							
PROC. REF: AMM 56-11-01									
56-11/14	REPLACE RIGHT HAND WINDSHIELD ASSY, (RH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:9598110110	MOS/MSC	25-Apr-17	A/R						
SN:16011H7737	HRS	0							
	AFL	0							
PROC. REF: AMM 56-11-01									
56-11/15	LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:9598110109	MOS/MSC	25-Apr-17	A/R						
SN:16068H4199	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/15	RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:9598110110	MOS/MSC	25-Apr-17	A/R						
SN:16011H7737	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/200 ^S	EXAMINE WINDSHIELD LH AND RH							Service	ATA:56
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 56-00-00									

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11/332	INSPECTION/CHECK COCKPIT SIDE WINDOWS							Service	ATA:56
	MOS	25-Apr-17	120 (+6m/-6m)		25-Apr-27	25-Oct-27	1440 d (+183)		
	HRS	0	11000 (+500/-500)		11000	11500	8699.5 (+500)		
WC#: 56.100	AFL	0							
PROC. REF: AMM 56-11-02									
56-11/378	WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WIND-SHIELD AND SIDE WINDOWS REMOVED							Service	ATA:56
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 56.110	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 53-10-16, AMM 56-11-01, AMM 56-11-02									
56-11/517	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service	ATA:56
	MOS	18-Apr-23	12		18-Apr-24		338 d		
	HRS	2263.4	1200		3463.4		1162.9		
	AFL	1964							
PROC. REF: GENERIC NO REF, AMM NO REF									
PKG:20									
56-20/201 ^S	EXAMINE COCKPIT AND CABIN WINDOWS							Service	ATA:56
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 56-00-00									
PKG:17									
560015	SIDE,LH WINDOW							Component	ATA:56
PN:9598110111	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:15356H6367	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-11-02									
560020	SIDE,RH WINDOW							Component	ATA:56
PN:9598110112	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16035H0555	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-11-02									
560025	RH NO 1 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002390628-007	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560030	RH NO 2 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002373628-006	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560035	RH NO 3 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002373629-008	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560040	RH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002373628-011	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560045	RH NO 5 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002390624-001	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560050	LH NO 1 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002373629-009	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560055	LH NO 2 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002390628-010	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560060	LH NO 3 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002390624-002	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560065	LH NO 4 CABIN WINDOW							Component	ATA:56
PN:5562012029	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:0002373629-005	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560070	DV-WINDOW ASSY							Component	ATA:56
PN:5561412099	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:16301H8460	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-14-01									
561010	LEFT HAND WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:9598110109	MOS/MSC	25-Apr-17	O/C	TSN 0				AIRWORTHINESS	
SN:16068H4199	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-11-01									
561011	RIGHT HAND WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:9598110110	MOS/MSC	25-Apr-17	O/C	TSN 0				AIRWORTHINESS	
SN:16011H7737	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-11-01									
ATA 57 - WINGS									
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	20000		20000		17699.5		
WC#: 57.010	AFL	0	27000		27000		25010		
PROC. REF: AMM 57-00-00									
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	20000		20000		17699.5		
WC#: 57.010	AFL	0	27000		27000		25010		
PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/202 ^S	EXAMINE WING EXTERNAL SURFACES							Service	ATA:57
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:17	
57-00/282 ^S	EXAMINE WING TIP STATIC DISCHARGERS							Service	ATA:57
	MOS	21-Apr-23	24 (+10%/-10%)						
	HRS	2263.4	2400 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:21	
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:57
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:20	
57-00/284 ^S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service	ATA:57
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:20	
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS/MSC	25-Apr-17	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF								
57-00/326	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS/MSC	25-Apr-17	N/A					AIRWORTHINESS	
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:30000		30000		27699.5		
WC#: 57.100	AFL	0	T:39000		39000		37010		
	PROC. REF: AMM 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/380	WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:30000		30000		27699.5		
WC#: 57.110	AFL	0	T:39000		39000		37010		
PROC. REF: AMM 57-00-03, AMM 57-00-03									
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
WC#: 57.120	AFL	0	T:30000		30000		28010		
PROC. REF: AMM 57-20-10									
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
WC#: 57.130	AFL	0	T:30000		30000		28010		
PROC. REF: AMM 57-20-10									
57-00/384	EDDY CURRENT INSPECTION - LEFT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
WC#: 57.140	AFL	0	T:30000		30000		28010		
PROC. REF: AMM 57-20-05									
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:25000		25000		22699.5		
WC#: 57.150	AFL	0	T:30000		30000		28010		
PROC. REF: AMM 57-20-10									
57-00/412	EXAMINE - WING TIPS							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 57.170	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: AMM 57-33-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	25-Apr-17							
	HRS	0	T:25000 (+500/-500)		25000	25500	22699.5 (+500)		
WC#: 57.180	AFL	0	T:30000 (+500/-500)		30000	30500	28010 (+500)		
PROC. REF: AMM 57-20-01									
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	16000		16000		13699.5		
	AFL	0	22500		22500		20510		
PROC. REF: AMM 57-20-10									
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	16000		16000		13699.5		
	AFL	0	22500		22500		20510		
PROC. REF: AMM 57-20-10									
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service	ATA:57
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 57.020	AFL	1304							
PROC. REF: GENERIC NO REF									
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service	ATA:57
	MOS	11-May-21	48 (+10%/-10%)	Adj -11d	30-Apr-25	24-Sep-25	715 d (+147)	MODERATE CORROSION ZONE	
	HRS	1528.1	4000 (+10%/-10%)		5528.1	5928.1	3227.6 (+400)		
WC#: 57.030	AFL	1304							
PROC. REF: GENERIC NO REF									
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	25-Apr-17	120 (+6m/-6m)		25-Apr-27	25-Oct-27	1440 d (+183)		
	HRS	0	11000 (+500/-500)		11000	11500	8699.5 (+500)		
WC#: 57.040	AFL	0							
PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60/393	EXAMINE - RIGHT WING AILERON							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 57-60-00									
57-60/393	EXAMINE -LEFT WING AILERON							Service	ATA:57
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:32500		32500		30199.5		
WC#: 57.160	AFL	0	T:42000		42000		40010		
PROC. REF: AMM 57-60-00									
57-60/411	EXAMINE - AILERON TRIM TAB							Service	ATA:57
	MOS	25-Apr-17							
	HRS	0	T:32500 (+500/-500)		32500	33000	30199.5 (+500)		
WC#: 57.190	AFL	0	T:42000 (+500/-500)		42000	42500	40010 (+500)		
PROC. REF: AMM 57-60-04									
570005	AILERON LH 10A SERIE ASSY							Component	ATA:57
PN:5570512041	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:3401M	HRS	0			TSN 0				
WC#: 57.050	AFL	0			TSN 0				
PROC. REF: AMM 57-60-02									
570010	AILERON RH 10A SERIE ASSY							Component	ATA:57
PN:5570512042	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:3401M	HRS	0			TSN 0				
WC#: 57.050	AFL	0			TSN 0				
PROC. REF: AMM 57-60-02									
570050	L/H WING							Component	ATA:57
PN:5570512049	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1400M	HRS	0			TSN 0				
WC#: 57.080	AFL	0			TSN 0				
PROC. REF: AMM 57-00-00, AMM 57-00-00									
570055	R/H WING							Component	ATA:57
PN:5570512050	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:1400M	HRS	0			TSN 0				
WC#: 57.090	AFL	0			TSN 0				
PROC. REF: AMM 57-00-00, AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61-20/286 ^S	EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS							Service	ATA:61
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:20	
610000	NO. 1 PROPELLER - OVERHAUL							Service	ATA:61
	MOS	29-Jun-17	72		29-Jun-23		44 d	OVERHAUL	
	HRS	0	4000		(4000) 4268.63		1968.1		
	PROC. REF: GENERIC NO REF								
611010	NO. 1 PROPELLER - PERIODIC INSPECTION							Service	ATA:61
	MOS	18-Apr-23	12		18-Apr-24		338 d		
	HRS	1994.77	400		(2394.77) 2663.4		362.9		
	PROC. REF: POM 61-00-47								
611020	NO. 1 PROPELLER - LUBRICATE							Service	ATA:61
	MOS	18-Apr-23	12		18-Apr-24		338 d		
	HRS	1994.77	400		(2394.77) 2663.4		362.9		
	PROC. REF: POM 61-00-47								
611025	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service	ATA:61
	MOS	18-Apr-23	12		18-Apr-24		338 d		
	HRS	1994.77	400		(2394.77) 2663.4		362.9		
	PROC. REF: POM 61-00-47								
611101	NO. 1 PROPELLER - NO. 1 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	29-Jun-17	O/C		TSN 0				
SN:B4674	HRS	0			TSN 0				
	PROC. REF: GENERIC NO REF								
611102	NO. 1 PROPELLER - NO. 2 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	29-Jun-17	O/C		TSN 0				
SN:B5016	HRS	0			TSN 0				
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
611103	NO. 1 PROPELLER - NO. 3 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	29-Jun-17	O/C	TSN 0					
SN:B5081	HRS	0		TSN 0					
PROC. REF: GENERIC NO REF									
611104	NO. 1 PROPELLER - NO. 4 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	29-Jun-17	O/C	TSN 0					
SN:B5144	HRS	0		TSN 0					
PROC. REF: GENERIC NO REF									
611105	NO. 1 PROPELLER - NO. 5 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	29-Jun-17	O/C	TSN 0					
SN:B5009	HRS	0		TSN 0					
PROC. REF: GENERIC NO REF									
611110	NO. 1 PROPELLER - PERIODIC COIN-TAP INSPECTIONS FOR COMPOSITE BLADES - EXPOSED SECTION OF BLADE							Service	ATA:61
	MOS	24-Jun-22							
	HRS	1670.27	1200		(2870.27) 3138.9		838.4		
PROC. REF: MRM 61-13-70									
611120	NO. 1 PROPELLER - PERIODIC COIN-TAP INSPECTIONS FOR COMPOSITE BLADES - EROSION SHIELD SURFACE							Service	ATA:61
	MOS	18-Apr-23	12		18-Apr-24		338 d		
	HRS	1994.77	600		(2594.77) 2863.4		562.9		
PROC. REF: MRM 61-13-70									
611230	NO. 1 PROPELLER - DE-ICE SYSTEM 200 HOUR/12 MONTH INSPECTION							Service	ATA:61
	MOS	18-Apr-23	12		18-Apr-24		338 d		
	HRS	1994.77	600		(2594.77) 2863.4		562.9		
PROC. REF: MM 30-61-80									
611240	NO. 1 PROPELLER - ANTI-ICE SYSTEM 200 HOUR/12 MONTH INSPECTION							Service	ATA:61
	MOS/MSC	11-May-21	N/A						
	HRS	1259.47							
PROC. REF: MM 30-61-80									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
611250	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service	ATA:61
	MOS	29-Jun-17	72		29-Jun-23		44 d	OVERHAUL	
	HRS	0	4000		(4000) 4268.63		1968.1		
PROC. REF: GENERIC NO REF									
612010	NO. 1 ENGINE - PROPELLER GOVERNOR							Component	ATA:61
PN:3049558-01	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:20667290	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component	ATA:61
PN:3079148-01	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:20654784	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									
61PR1	NO. 1 PROPELLER							Component	ATA:61
PN:HC-E5A-3A/NC10245B	MOS/MS	21-Aug-20	PP/C						
SN:SA207	HRS	1362.63		TSN 1094					
WC#: 61.PR1	AFL	1154							
PROC. REF: AMM 61-10-01, AMM 61-10-01									
ATA 71 - POWER PLANT									
71-00/101 ^S	OPERATIONAL TEST POWER PLANT TORQUE LIMITER							Service	ATA:71
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
WC#: 71.010	AFL	1964							
PROC. REF: AMM 71-00-00									
71-00/102 ^S	OPERATIONAL TEST POWER PLANT PERFORMANCE							Service	ATA:71
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/103 PERFORM COMPRESSOR PERFORMANCE RECOVERY WASH Service ATA:71								
	MOS/MSC	11-Dec-19	A/R					
	HRS	1084.3						
WC#: 71.040	AFL	905						
PROC. REF: AMM 71-00-00								
71-00/104 PERFORM COMPRESSOR DESALINATION WASH Service ATA:71								
	MOS/MSC	09-Nov-18	A/R					
	HRS	707.62						
	AFL	573						
PROC. REF: AMM 71-00-00								
71-00/105 PERFORM TURBINE WASH Service ATA:71								
	MOS/MSC	11-Dec-19	A/R					
	HRS	1084.3						
	AFL	905						
PROC. REF: AMM 71-00-00								
71-00/107^S CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS Service ATA:71								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	600 (+10%/-10%)					
WC#: 71.030	AFL	1964						
PROC. REF: AMM 71-00-03								
71-00/16 ENGINE (PRE SB 04-009) MOUNTING FRAME Component ATA:71								
PN:571.20.12.036	MOS	25-Apr-17		TSN 0				AIRWORTHINESS
SN:1556	HRS	0	20000	TSN 0	20000		17699.5	
WC#: 71.050	AFL	0	27000	TSN 0	27000		25010	
PROC. REF: AMM 71-00-05								
71-00/17 REPLACE ENGINE MOUNTING FRAME BOLTS, WASHERS AND NUTS Service ATA:71								
	MOS	25-Apr-17						AIRWORTHINESS
	HRS	0	11000		11000		8699.5	
WC#: 71.050	AFL	0						
PROC. REF: GENERIC NO REF								
71-00/204^S PERFORM POWER PLANT - POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION Service ATA:71								
	MOS/MSC	21-Apr-23	A/R					
	HRS	2263.4						
	AFL	1964						
PROC. REF: AMM 71-00-00								

PKG:19

PKG:15 ,16,17,18,19,20,21

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/205 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP							Service	ATA:71
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:20	
71-00/209 ^S	ENGINE DRAIN MAST AND TANK - EXAMINE THE DRAIN MAST FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK							Service	ATA:71
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:17	
71-00/287 ^S	PERFORM POWER PLANT - INSPECTION GROUND RUN - NOTE DEFECTS.							Service	ATA:71
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: AMM 71-00-00							PKG:15 ,16,17,18,19,20,21	
71-00/301 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY.							Service	ATA:71
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	1200 (+10%/-10%)						
	AFL	1964							
	PROC. REF: AMM 54-20-02							PKG:20	
71-00/38	LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:9732	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1199.5 (+350)		
WC#: 71.063	AFL	0		TSN 0					
	PROC. REF: AMM 71-00-00								
71-00/38	LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:9758	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1199.5 (+350)		
WC#: 71.064	AFL	0		TSN 0					
	PROC. REF: AMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/38	UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:9745	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1199.5 (+350)		
WC#: 71.061	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:9740	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1199.5 (+350)		
WC#: 71.060	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:9448121409	MOS	25-Apr-17		TSN 0				OVERHAUL	
SN:9756	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1199.5 (+350)		
WC#: 71.062	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/401	ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service	ATA:71
	MOS	25-Apr-17						AIRWORTHINESS	
	HRS	0	T:26600		26600		24299.5		
WC#: 71.130	AFL	0	T:35000		35000		33010		
PROC. REF: AMM 71-00-05									
71-00/432	EXAMINE POWER PLANT AND ACCESSORIES, REFER TO P&WC EMM CHAPTER 72-00-00 PERIODIC INSPECTION AND DO THE MINOR AND TIME LIMITED INSPECTION ITEMS							Service	ATA:71
	MOS/MSC	11-May-21	A/R						
	HRS	1528.1							
	AFL	1304							
PROC. REF: GENERIC NO REF									
71-00/476 ^S	REVIEW AND COMPLY WITH P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS AS NECESSARY							Service	ATA:71
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
PROC. REF: GENERIC NO REF									
								PKG:15 ,16,17,18,19,20,21	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-10/207 ^S	OPEN AND EXAMINE, ENGINE COWLINGS ENG 43AL AND ENG 43AR AND EXAMINE, PARTICULARLY FOR CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001							Service	ATA:71
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
71-10/208 ^S	CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR							Service	ATA:71
	MOS/MSC	21-Apr-23	A/R						
	HRS	2263.4							
	AFL	1964							
	PROC. REF: GENERIC NO REF							PKG:15 ,16,17,18,19,20,21	
710011	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	21-Dec-16						OVERHAUL	
	HRS	0	3500 (+200)		(3500) 3500	3700	1199.5 (+200)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
710019 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service	ATA:71
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: EMM 72-30-05							PKG:0	
710021	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	29-Jun-22							
	HRS	1938.9	1750 (+250)	Adj -188.9	(3500) 3500	3750	1199.5 (+250)		
	ENC	1685							
	PROC. REF: EMM 72-00-00								
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION							Service	ATA:71
	MOS	18-Apr-23							
	HRS	2263.4	400 (+10%/-10%)		(2663.4) 2663.4	2703.4	362.9 (+40)		
	ENC	1964							
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710041	NO. 1 ENGINE - INSPECT POWER TURBINE BLADES							Service	ATA:71
	MOS	21-Dec-16							
	HRS	0	T:4000 (+100/-100)		(4000) 4000	4100	1699.5 (+100)		
	ENC	0							
	PROC. REF: EMM 72-00-00								
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	02-Sep-22	A/R						
	HRS	2029.3							
	ENC	1770							
	PROC. REF: EMM 71-00-00								
710051 ^S	NO. 1 ENGINE - COMPRESSOR TURBINE DESALINATION WASH							Service	ATA:71
	MOS/MSC	21-Dec-16	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 71-00-00								
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	06-Nov-20	A/R						
	HRS	1435.73							
	ENC	1220							
	PROC. REF: EMM 71-00-00								
710053	NO. 1 ENGINE - EXTERNAL ENGINE WASH							Service	ATA:71
	MOS/MSC	21-Dec-16	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 71-00-00								
710055	(WELDED) ENGINE MOUNT							Component	ATA:71
PN:5712012036	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1556	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
	PROC. REF: AMM 71-00-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	MOS	18-Apr-23							
	HRS	2263.4	100		(2363.4) 2363.4		62.9		
	ENC	1964							
	PROC. REF: EMM 72-00-00								
710070 ^S	NO. 1 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION							Service	ATA:71
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: EMM 71-00-00								
710100	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service	ATA:71
	MOS/MSC	21-Dec-16	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:PT6A-67P	MOS/MSC		E/C						
SN:PCE-RY0754	HRS								
WC#: 71.EN1	AFL								
	PROC. REF: AMM 71-00-00								
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component	ATA:72
PN:PN	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	1199.5 (+200)		
	ENC	0		TSN 0					
	PROC. REF: EMM 72-30-04								
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service	ATA:72
	MOS/MSC	11-May-21	BF/F						
	HRS	1528.1							
	ENC	1304							
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service	ATA:72
	MOS/MSC	11-May-21	BF/F						
	HRS	1528.1							
	ENC	1304							
	PROC. REF: EMM 72-60-00								
720030 ^S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: GENERIC NO REF								
	PKG:0								
720040 ^S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: GENERIC NO REF								
	PKG:0								
720050 ^S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: GENERIC NO REF								
	PKG:0								
720070 ^S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: GENERIC NO REF								
	PKG:0								
720087	NO. 1 ENGINE - REGULAR OPERATION AS ALTERNATIVE TO PRESERVATION OF INACTIVE ENGINES							Service	ATA:72
	MOS/MSC	21-Dec-16	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service	ATA:72
	MOS/MSC	09-Nov-18	BF/F						
	HRS	707.62							
	ENC	573							
	PROC. REF: EMM 72-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722010 ^S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: EMM 72-20-00, EMM 72-20-00							PKG:0	
722020 ^S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBOREScope, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: EMM 72-20-00							PKG:0	
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3042701	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:MCAKAXPR280	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	24000	TSN 0			22010		
	PROC. REF: GENERIC NO REF								
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component	ATA:72
PN:3043063	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:PKAAA692045	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	24000	TSN 0			22010		
	PROC. REF: GENERIC NO REF								
723026 ^S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: EMM 72-30-04							PKG:0	
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040942	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:FRAEPUPC17	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	24000	TSN 0			22010		
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723036 ^S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
PROC. REF: EMM 72-30-01, EMM 72-30-02, EMM 72-30-04								PKG:0	
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040933	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:FRAEPUME128	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	24000	TSN 0		22010			
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040944	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:TXA1D5641	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	24000	TSN 0		22010			
PROC. REF: GENERIC NO REF									
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3036898	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:EAAE000B511	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	24000	TSN 0		22010			
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	21-Dec-16	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00, EMM 72-00-00									
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service	ATA:72
	MOS/MSC	21-Dec-16	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component	ATA:72
PN:3053740-01	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:YUAB001G917	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	8000	TSN 0			6010		
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service	ATA:72
	MOS	21-Dec-16						LIFE LIMIT	
	HRS	0	5000		(5000) 5000		2699.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
725026 ^S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service	ATA:72
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
PROC. REF: EMM 72-50-05									
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037312	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:A003XY4C	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	15000	TSN 0			13010		
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037313	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:YUAB001G927	HRS	0		TSN 0					
	ENC	0		TSN 0					
	ACCCYC	0	15000	TSN 0			13010		
PROC. REF: GENERIC NO REF									
726010	NO. 1 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3059343-01	MOS/MSC	21-Dec-16	O/C	TSN 0					
SN:PKAAA689326	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component	ATA:72
PN:PN	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	1199.5 (+200)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:3040760	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:015052	HRS	0	3500	TSN 0	(3500) 3500		1199.5		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-02									
731015	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS/MSC	09-Nov-18	N/A						
	HRS	707.62							
	ENC	573							
PROC. REF: EMM 71-00-00, EMM 73-11-05									
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE NOT ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	400 (+10%/-10%)	Adj -27.67	(2635.73) 2635.73	2675.73	335.2 (+40)		
	ENC	1964							
PROC. REF: EMM 73-11-05									
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component	ATA:73
PN:3055748-01	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:C51648	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731031 ^S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: EMM 73-10-02							PKG:0	
731035	NO. 1 ENGINE - VISUAL INSPECTION FUEL PUMP TO AGB COVER INTERFACE FOR OIL LEAKAGE AND /OR GASKET MIGRATION							Service	ATA:73
	MOS	03-Feb-22							
	HRS	1779.7	1750		(3529.7) 3529.7		1229.2		
	ENC	1544							
	PROC. REF: EMM 73-10-02								
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service	ATA:73
PN:3040760	MOS	21-Nov-22							
SN:015052	HRS	2135.2	600 (+10%/-10%)		(2735.2) 2735.2	2795.2	434.7 (+60)		
	ENC	1873							
	PROC. REF: EMM 73-10-02								
731045 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: EMM 73-10-01							PKG:0	
731050	NO. 1 ENGINE - CHECK FUEL PUMP COUPLING IN-SITU FOR FRETTING AND CORROSION							Service	ATA:73
PN:3040760	MOS/MSC	21-Dec-16	N/A						
SN:015052	HRS	0							
	ENC	0							
	PROC. REF: EMM 73-10-02								
731052	NO. 1 ENGINE - REMOVE FUEL PUMP AND INSPECT THE DRIVE COUPLING AREA AND COVER ACCESSORY GEARBOX SIDE FOR SIGNS OF REDDISH-BROWN (IRON OXIDE) STAINS. IF STAINS ARE OBSERVED RETURN THE FUEL PUMP TO AN APPROVED OVERHAUL FACILITY.							Service	ATA:73
	MOS/MSC	21-Dec-16	N/A						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service	ATA:73
PN:05228-7579431AM	MOS	17-Sep-22						REPLACE	
SN:SN-UNKOWN	HRS	2045.9	600 (+10%/-10%)		(2645.9) 2645.9	2705.9	345.4 (+60)		
	ENC	1792							
PROC. REF: EMM 73-10-02									
731056 ^S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
PROC. REF: GENERIC NO REF									
PKG:0									
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component	ATA:73
PN:3057249-01	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:WA54925	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-01									
731065	NO. 1 ENGINE - EXAMINE FILTER BOWL							Service	ATA:73
	MOS	21-Nov-22							
	HRS	2135.2	300 (+10%)		(2435.2) 2435.2	2465.2	134.7 (+30)		
	ENC	1873							
PROC. REF: GENERIC NO REF									
731070	NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE							Component	ATA:73
PN:3038472	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:U0689	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-04									
731085 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
PROC. REF: EMM 73-10-06									
PKG:0									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3119892-10	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:20667249	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 73-20-00									
731091 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
PROC. REF: EMM 73-10-04									
731095	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS							Component	ATA:73
PN:PN	MOS	21-Dec-16		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	4000	TSN 0	(4000) 4000		1699.5		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731100	NO. 1 ENGINE - CLEAN P3 FILTER							Service	ATA:73
	MOS	21-Nov-22							
	HRS	2135.2	300 (+10%/-10%)	Adj -80.95	(2354.25) 2354.25	2384.25	53.8 (+30)		
	ENC	1873							
PROC. REF: EMM 73-10-07									
731150 ^S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
PROC. REF: EMM 73-10-02									
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component	ATA:73
PN:05228-7579431AM	MOS/MSC	17-Sep-22	H/T	TSN 0					
SN:SN-UNKOWN	HRS	2045.9		TSN 0					
	ENC	1792		TSN 0					
PROC. REF: EMM 73-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732020 ^S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service	ATA:73
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
								PKG:0	
PROC. REF: EMM 73-20-00									
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service	ATA:73
	MOS	06-Nov-20							
	HRS	1435.73	900 (+10%/-10%)		(2335.73) 2335.73	2425.73	35.2 (+90)		
	ENC	1220							
								PKG:0	
PROC. REF: EMM 73-10-07									
733070	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service	ATA:73
	MOS	21-Nov-22							
	HRS	2135.2	300 (+10%/-10%)	Adj -80.95	(2354.25) 2354.25	2384.25	53.8 (+30)		
	ENC	1873							
								PKG:0	
PROC. REF: EMM 73-10-07, EMM 73-10-07									
ATA 74 - IGNITION									
74-00/288 ^S	OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	300 (+10%/-10%)						
	AFL	1964							
								PKG:17	
PROC. REF: AMM 74-00-00									
740010	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3035889	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:NNA16320118	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
								PKG:0	
PROC. REF: EMM 74-10-00									
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service	ATA:74
	MOS	18-Apr-23							
	HRS	2263.4	400 (+10%/-10%)	Adj -27.67	(2635.73) 2635.73	2675.73	335.2 (+40)		
	ENC	1964							
								PKG:0	
PROC. REF: EMM 74-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
740020	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	11-Dec-19	O/C	TSN 0					
SN:NSN	HRS	1084.3		TSN 0					
	ENC	905		TSN 0					
PROC. REF: GENERIC NO REF									
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINES AND EROSION. CHECK FUNCTION							Service	ATA:74
	MOS	18-Apr-23							
	HRS	2263.4	400 (+10%/-10%)	Adj -27.67	(2635.73) 2635.73	2675.73	335.2 (+40)		
	ENC	1964							
PROC. REF: EMM 74-20-00									
740040	NO. 1 ENGINE - 9 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:CH34055	MOS/MSC	11-Dec-19	O/C	TSN 0					
SN:NSN	HRS	1084.3		TSN 0					
	ENC	905		TSN 0					
PROC. REF: GENERIC NO REF									
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service	ATA:74
	MOS	18-Apr-23							
	HRS	2263.4	400 (+10%/-10%)	Adj -27.67	(2635.73) 2635.73	2675.73	335.2 (+40)		
	ENC	1964							
PROC. REF: EMM 74-20-00									
ATA 75 - AIR									
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3059835-01	MOS	21-Dec-16		TSN 0				OVERHAUL	
SN:AHX1001044	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	1199.5 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 75-30-00									
ATA 76 - ENGINE CONTROLS									
76-00/210 ^S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service	ATA:76
	MOS	18-Apr-23	12 (+10%/-10%)						
	HRS	2263.4	600 (+10%/-10%)						
	AFL	1964							
PROC. REF: GENERIC NO REF									

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00/211^S CHECK BETA SLIP RING CARBON BLOCK - MAKE SURE GAP IS NOT MORE THAN 0.01IN (0.25MM)								
	MOS	18-Apr-23	12 (+10%/-10%)					Service ATA:76
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
					PROC. REF: GENERIC NO REF			PKG:17
76-00/212^S OPERATIONAL TEST COCKPIT CONTROL QUADRANT- CAUTION - DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.								
	MOS	18-Apr-23						Service ATA:76
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
					PROC. REF: AMM 76-10-00			PKG:16
76-00/303^S OPERATIONAL TEST COCKPIT CONTROL QUADRANT - POWER CONTROL, MANUAL OVERRIDE								
	MOS	18-Apr-23	12 (+10%/-10%)					Service ATA:76
	HRS	2263.4	1200 (+10%/-10%)					
	AFL	1964						
					PROC. REF: AMM 76-20-00, AMM 76-10-00			PKG:20
76-00/304^S EXAMINE COCKPIT CONTROL QUADRANT								
	MOS	18-Apr-23	12 (+10%/-10%)					Service ATA:76
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
					PROC. REF: GENERIC NO REF			PKG:17
76-10/117 FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES								
	MOS	18-Apr-23	12 (+10%/-10%)	Adj 12d	30-Apr-24	06-Jun-24	350 d (+37)	Service ATA:76
	HRS	2263.4	3000 (+10%/-10%)		5263.4	5563.4	2962.9 (+300)	
WC#: 76.010	AFL	1964						
					PROC. REF: AMM 76-10-02			
760015 MANUAL OVERRIDE CABLE ASSY.								
PN:9419411417	MOS/MSC	25-Apr-17	O/C	TSN 0				Component ATA:76
SN:00082	HRS	0		TSN 0				
WC#: 76.020	AFL	0		TSN 0				
					PROC. REF: AMM 76-20-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
760020	CONDITION CABLE ASSY.							Component	ATA:76
PN:9419411418	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:00094	HRS	0		TSN 0					
WC#: 76.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
760025	POWER CONTROL CABLE ASSY.							Component	ATA:76
PN:9419411419	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:00087	HRS	0		TSN 0					
WC#: 76.040	AFL	0		TSN 0					
PROC. REF: AMM 76-10-04									
761011	NO. 1 ENGINE - INSPECT ENGINE CONTROL LINKAGES							Service	ATA:76
	MOS	21-Nov-22	12 (+10%/-10%)		21-Nov-23	27-Dec-23	189 d (+36)		
	HRS	2135.2	300 (+10%/-10%)	Adj -7.1	(2428.1) 2428.1	2458.1	127.6 (+30)		
	ENC	1873							
PROC. REF: EMM 72-00-00									
ATA 77 - ENGINE INDICATING									
770005	TRQ,IPT-51DFP-1000-70D TRANSDUCER							Component	ATA:77
PN:9752115206	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:8031-11-152	HRS	0		TSN 0					
WC#: 77.010	AFL	0		TSN 0					
PROC. REF: AMM 77-40-03									
770025	DIFFERENTIAL PRESSURE TRANSDUCER							Component	ATA:77
PN:9752115219	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:10374358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
771010	NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS							Component	ATA:77
PN:3043825-01	MOS/MSC	21-Dec-16	O/C	TSN 0					
SN:NRA100978	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 77-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
78-00/214^S EXAMINE EXHAUST STUBS Service ATA:78								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
PROC. REF: GENERIC NO REF								PKG:17
ATA 79 - OIL								
79-00/422^S OPERATIONAL TEST OIL FILLER CAP / DIPSTICK Service ATA:79								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	600 (+10%/-10%)					
	AFL	1964						
PROC. REF: AMM 79-30-06								PKG:19
79-20/289^S EXAMINE ENGINE OIL COOLER. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT Service ATA:79								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	1200 (+10%/-10%)					
	AFL	1964						
PROC. REF: GENERIC NO REF								PKG:20
79-20/290^S OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM Service ATA:79								
	MOS	18-Apr-23	12 (+10%/-10%)					
	HRS	2263.4	300 (+10%/-10%)					
	AFL	1964						
PROC. REF: AMM 79-30-01								PKG:17
79-20/43 OIL COOLER Component ATA:79								
PN:9683214102	MOS	25-Apr-17		TSN 0				OVERHAUL
SN:T1728	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	1199.5 (+350)	
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM 79-20-02								
790005 TEMPERATURE BULB Component ATA:79								
PN:9751120101	MOS/MSC	25-Apr-17	O/C	TSN 0				
SN:219293	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790020	PRESSURE,GAGE SWITCH							Component	ATA:79
PN:9738114305	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1629	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 79-30-04									
790021	NO. 1 ENGINE - SERVICING OF OIL SYSTEM							Service	ATA:79
	MOS/MSC	17-Oct-19	A/R					DISCARD	
	HRS	1041.18							
	ENC	865							
PROC. REF: GENERIC NO REF									
790025	THERMAL ACTUATOR							Component	ATA:79
PN:9787301002	MOS/MSC	25-Apr-17	O/C	TSN 0					
SN:1897	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	21-Nov-22	12 (+10%)		21-Nov-23	27-Dec-23	189 d (+36)		
	HRS	2135.2	300 (+10%)	Adj -7.1	(2428.1) 2428.1	2458.1	127.6 (+30)		
	ENC	1873							
PROC. REF: EMM 79-20-02									
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	18-Apr-23	12 (+10%)		18-Apr-24	24-May-24	338 d (+36)		
	HRS	2263.4	600 (+10%)		(2863.4) 2863.4	2923.4	562.9 (+60)		
	ENC	1964							
PROC. REF: EMM 79-20-02									
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service	ATA:79
	MOS	06-Nov-20							
	HRS	1435.73	900 (+10%/-10%)		(2335.73) 2335.73	2425.73	35.2 (+90)		
	ENC	1220							
PROC. REF: EMM 79-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service	ATA:79
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)		(2563.4) 2563.4	2593.4	262.9 (+30)		
	ENC	1964							
	PROC. REF: EMM 79-20-02								
790070	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service	ATA:79
	MOS	24-Jun-22							
	HRS	1938.9	1000 (+10%/-10%)	Adj -117.97	(2820.93) 2820.93	2920.93	520.4 (+100)		
	ENC	1685							
	PROC. REF: EMM 72-60-00								
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE							Service	ATA:79
	MOS/MSC		A/R						
	HRS								
	ENC								
	PROC. REF: EMM 79-20-02								
790081	NO. 1 ENGINE - PERFORM OIL ANALYSIS TECHNOLOGY SAMPLING							Service	ATA:79
	MOS/MSC	11-May-21	N/A						
	HRS	1528.1							
	ENC	1304							
	PROC. REF: EMM 72-00-00								
790091 ^S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service	ATA:79
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: GENERIC NO REF							PKG:0	
790093 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:79
	MOS	18-Apr-23							
	HRS	2263.4	300 (+10%/-10%)						
	ENC	1964							
	PROC. REF: GENERIC NO REF							PKG:0	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:9752115214	MOS/MSC	21-Dec-16	O/C	TSN 0					
SN:8292-5-416	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1702 RegNo: N536HC HRS: 2300.5 AFL: 1990 As Of: 12-May-2023

16-May-2023 11:05 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 91 - UNKNOWN									
240120	BATTERY EXT POWER JUNCTION BOX							Component	ATA:91
PN:9740338152	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:984	HRS	0			TSN 0				
WC#: 90.005	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910010	LEFT HD POWER JCT BOX							Component	ATA:91
PN:9740338144	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:982	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910015	KBT 300 TTP BUS RES, A-157 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KBT300-4139	HRS	0			TSN 0				
WC#: 90.015	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910020	KBT 300 TTP BUS RES, A-175 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KBT300-4198	HRS	0			TSN 0				
WC#: 90.025	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910025	KBT 300 TTP BUS RES, A-174 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KBT300-4202	HRS	0			TSN 0				
WC#: 90.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910035	CO-PILOT RIGHT HD POWER,FE1549R JUNCTION BOX							Component	ATA:91
PN:9740338145	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:858	HRS	0			TSN 0				
WC#: 90.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
910040	KBT 300 TTP BUS RES, A-156 TERMINAL							Component	ATA:91
PN:9859912117	MOS/MSC	25-Apr-17	O/C		TSN 0				
SN:KBT300-4141	HRS	0			TSN 0				
WC#: 90.010	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task